

Justrite® Paint & Ink Safety Cabinet

CAB280 Manual-Close Door Style, Holds 60 gal., 43" x 18" x 65"

Designed specifically for the safe storage of 1-gallon paint cans and other Class III combustibles.

- FM Approved for the storage of Class III combustibles; also meets NFPA specifications and OSHA regulations
- Fully-welded, double-wall, 18-gauge steel with 1.5" of insulating air space helps cabinet stay square
- Reduced air gaps provide excellent fire protection
- Welded-in dual vents with flame arrestors dissipate heat to prevent flashback ignition
- Built-in ground connector inhibits static buildup
- Powder-coated finish, inside and out, retains high-gloss look and resists chemicals, rust and corrosion
- Three-point stainless steel bullet latch provides fail-safe, positive door closure; stands up to high heat and harsh use
- Slip-resistant U-Loc paddle handle has a recessed design that won't catch on passing traffic
- Welded hangers interlock with shelf for maximum stability; no brackets required
- Each shelf provides 350 lb. UDL weight capacity when evenly loaded
- Haz-Alert reflective labeling is highly visible, even in low light or during a fire
- Note: Codes state that no more than 60 gallons may be Category 1, 2 or 3



Item#	Description	Dimensions	Weight
CAB280-RD-SGEX	Sure-Grip EX Handle	43" W x 18" D x 65" H	345 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
CAB280-RD-SGEX	Sure-Grip EX Handle	109.2cm W x 45.7cm D x 165.1cm H	156.5 kg

Specifications

Style	Standard
Use With	Combustibles
Dimensions	43" W x 18" D x 65" H
Brand	Justrite
Capacity	60 gal.
Door Style	Manual-Close
Interior Dimensions	39.5" W x 14.6" D x 60.5" H
Locking Mechanism	Keyed (2 Included); Padlockable (Padlock Not Included)
Shelves	5 - Adjustable Shelves
Use With Flammables	Yes
Sold as	1 each
Weight	345 lbs.
# per Pallet	1
Composition	Cabinet - Steel Shelf - Galvanized Steel
UNSPSC	24112402

Metric Equivalent

Dimensions	109.2cm W x 45.7cm D x 165.1cm H
Weight	156.5 kg

Technical Information

Certifications, Approvals and Ratings

FM Approved, NFPA Code 30

CountryShipOnly

This product can ONLY be shipped to the United States or Guam.

StateNoShip

This product is subject to restrictions and cannot be shipped to: Alaska, California, Hawaii, Idaho, Montana, Nevada, North Carolina, Oregon, Utah, Washington.

Technical Documents

29 CFR 1910.106(d)(3)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

