

PIG® Flammable Storage Safety Cabinet

CAB903 Self-Closing Door Style, Holds 16 gal., 23" x 18" x 45.375"

Store flammable materials safely in more places with this convenient-sized safety storage cabinet.

- Store flammable materials with maximum safety.
- FM-Approved for flammable storage and meets NFPA and OSHA specifications.
- Narrow footprint with recessed handles fits in more places while holding 16 gallons of flammable materials.
- Powder coating resists chemicals and corrosion; store indoors.
- Non-sparking door is built for fail-safe self-closing with three-point zinc latch.
- Prop open door with fusible link for convenience; link melts at 165° F in case of fire.
- Secure with built-in lock and included keys or use your own separate lock.
- Stop ignition flashback with flame arrestor vents.
- Reduce static buildup with grounding connection.
- Double wall adds fire protection with 1.5 inches of insulating air.
- Confidently hold 270 lbs. UDL per shelf; shelves are full-width and held by welded hangers.
- Contain escaping liquids with leakproof sump.
- Lifetime guarantee to replace or refund this MIG-welded 18-gauge steel cabinet.



Item#	Description	Dimensions	Weight
CAB903-YW		23" W x 18" D x 45.375" H	195 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
CAB903-YW		58cm W x 46cm D x 115cm H	88.5 kg

Specifications

Style	Standard
-------	----------

Use With	Flammables
Dimensions	23" W x 18" D x 45.375" H
Brand	PIG
Capacity	16 gal.
Category	Flammable Safety Cabinet
Door Style	Self-Closing
Interior Dimensions	20" W x 14.375" D x 40.125" H
Locking Mechanism	Keyed (2 Included); Padlockable (Padlock Not Included)
Number of Shelves	1
Shelves	Adjustable
Use With Flammables	Yes
Sold as	1 each
Weight	195 lbs.
# per Pallet	1
Composition	Cabinet - Steel Shelf - Galvanized Steel
UNSPSC	24112402
Pigalog® Page Number	Page 335

Metric Equivalent

Weight	88.5 kg
Dimensions	58cm W x 46cm D x 115cm H

Technical Information

CountryNoShip

This product is subject to export restrictions and cannot be shipped to Australia or New Zealand.

Certifications, Approvals and Ratings

FM Approved, NFPA Code 30

Technical Documents

[Instructions for PIG Flammable Safety Cabinet](#)

[29 CFR 1910.106\(d\)\(3\)](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

