



PIG® Burpless® Small Steel Drum Funnel

DRM1032 For 5 to 55 gal. Steel or Poly Drums & Buckets w/ 2" NPT, 5" x 8.3" x 11"

Patented Burpless design delivers fast, no-splash pouring and one-handed access for easy reg compliance.

- Secure closure helps you meet closed container regs; opens and closes instantly using only one hand
- Lets you pour without venting through 3/4" bung, a possible closed container reg violation if left open
- Nitrile gasket and locking mechanism completely seal lid to help reduce vapor emissions
- FM Approved for flammable liquids when equipped with a PIG Drum Funnel Flame Arrestor (DRM617, sold separately)
- Lockable to prevent unauthorized access
- Durable, chemical-resistant powder coat helps ensure long service life
- Multiple lid color options let you segregate drums
- Built-in PIG Overfill Preventer stops flow when the drum is almost full to help you avoid messy overfills



Item#	Description	Dimensions	Weight
DRM1032-BK		5" W x 8.3" L x 11" H	5.6 lbs.
DRM1032-RD		5" W x 8.3" L x 11" H	5.6 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
DRM1032-BK		12.7cm W x 21.1cm L x 27.9cm H	2.5 kg
DRM1032-RD		12.7cm W x 21.1cm L x 27.9cm H	2.5 kg

Specifications

Overfill Preventer	Included
Style	Steel Drum Funnel

Use With	5 to 55 gal. Steel or Poly Drums & Buckets w/ 2" NPT
Dimensions	5" W x 8.3" L x 11" H
Brand	PIG
Drainage Space	2.75"H x 5" Dia. Draining Area
Drum Bung Opening	2" NPT Bung
Drum Size	5 gal.; 8 gal.; 10 gal.; 16 gal.; 20 gal.; 30 gal.; 55 gal.
Drum Type	Steel Drum; Poly Drum
Lid Type	Latching/Locking Lid
Special Feature	Burpless; Vapor Control; Padlockable
Use With Flammables	Yes
Distributor Part Number	10860-594; 10860-594;452k50;45k51
Sold as	1 each
Weight	5.6 lbs.
New Pig Patent	5,676,185; 5,402,835
# per Pallet	216

Composition	Funnel - Powder-Coated Steel Lid Gasket - Nitrile Bung Gasket - PTFE
UNSPSC	27112902

Pigalog® Page Number	Page 297
-----------------------------	--------------------------

Metric Equivalent

Dimensions	12.7cm W x 21.1cm L x 27.9cm H
Weight	2.5 kg

Technical Information

Technical Documents

- [29 CFR 1910.106\(e\)\(2\)\(i\)](#)
- [29 CFR 1910.22\(a\)](#)
- [40 CFR 262.15](#)
- [40 CFR 262.16\(b\)\(2\)\(iii\)](#)
- [40 CFR 262.17\(a\)\(1\)\(iv\)](#)
- [40 CFR 264.1086\(c\)\(1\)\(ii\)](#)
- [40 CFR 63.744\(a\)\(1\)](#)

