



PIG® Vapor-Control Latching Drum Lid

DRM1033 For 55 gal. Steel Drums, Bolt-Ring

This versatile locking lid has two different size openings so you can toss in smaller items while minimizing the amount of harmful vapors that can escape from the larger opening.

- Lid offers controlled, temporary containment of hazardous waste with high vapor emissions
- 5" diameter easy-access port opens to accept waste while discouraging recovery of disposed items and limiting exposure to odor and vapors
- Full-diameter main latching lid allows easy access for emptying or disposal of large items
- Latching handles easily open and close with one hand
- Easy-access lid closes securely to help you meet haz-waste regs
- Nitrile gasket and locking mechanism seal lid to help reduce vapor, odor and VOC emissions
- Hinge stops keep funnel lid upright when open
- Durable, chemical-resistant powder coat helps ensure long service life
- Both latches can be padlocked (lock not included) to prevent unauthorized access
- Hinge pin is made for easy lid removal without loosening band around drum
- Multiple lid color options let you segregate drums for safe, compliant filling



Item#	Description	Dimensions	Weight
DRM1033-BK		23.25" W x 26.75" L x 7.25" H	19 lbs.
DRM1033-RD		23.25" W x 26.75" L x 7.25" H	19 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
DRM1033-BK		59.1cm W x 67.9cm L x 18.4cm H	8.6 kg
DRM1033-RD		59.1cm W x 67.9cm L x 18.4cm H	8.6 kg

Specifications

Style	Hinged Lid w/ One-Hand Latch
-------	------------------------------

Use With	55 gal. Steel Drums
Dimensions	23.25" W x 26.75" L x 7.25" H
Brand	PIG
Drum Size	55 gal.
Drum Type	Steel Drum
Drum Mounting	Bolt-Ring
Padlockable	Padlockable w/ .25" Shackle
Special Feature	Vapor Control
Distributor Part Number	30px08;30px09;5809117;04088x00394
Sold as	1 per box
Weight	19 lbs.
# per Pallet	18
Composition	Lid - Powder-Coated Steel Gasket - Nitrile
UNSPSC	24112112
Pigalog® Page Number	Page 290

Metric Equivalent

Dimensions	59.1cm W x 67.9cm L x 18.4cm H
Weight	8.6 kg

Technical Information

Technical Documents

Nitrile gasket for PIG® Drum lids and funnels

PIG Latching Drum Lid (Steel) Instructions

29 CFR 1910.106(e)(2)(i)

29 CFR 1910.22(a)

40 CFR 261.4

40 CFR 262.15

40 CFR 262.16(b)(2)(iii)

40 CFR 262.17(a)(1)(iv)

40 CFR 264.1086(c)(1)(ii)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

