

PIG™ Latching Drum Lid with Fusible Plugs

DRM1065 For 55 gal. Steel Drums, Bolt-Ring

The only FM-Approved latching lid - meets NFPA 30 venting requirements and helps you safely contain and lock flammable materials in a 55-gallon steel drum.

- The only latching lid that satisfies NFPA 30 venting requirements
- In a fire, 2" and 3/4" FM Approved nylon plugs melt to vent pressure and prevent drum bursting
- Ideal for safe storage of flammable or combustible solids such as used rags and absorbents
- Latching handle easily opens and closes with one hand
- Nitrile gasket and locking mechanism seal lid to help reduce vapor emissions
- Easy-access lid closes securely to help you meet haz-waste regs
- Hinge stops keep funnel lid upright when open
- Durable, chemical-resistant powder coat helps ensure long service life
- Lockable latch helps prevent unauthorized access
- Hinge pin is made for easy lid removal without loosening band around drum



Item#	Description	Dimensions	Weight
DRM1065-BK		23.25" W x 26.75" L x 4.375" H	25 lbs.
DRM1065-RD		23.25" W x 26.75" L x 4.375" H	25 lbs.
DRM1065-YW		23.25" W x 26.75" L x 4.375" H	25 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
DRM1065-BK		59.1cm W x 67.9cm L x 11.1cm H	11.3 kg
DRM1065-RD		59.1cm W x 67.9cm L x	11.3 kg

	11.1cm H
DRM1065-YW	59.1cm W x 67.9cm L x 11.1cm H 11.3 kg

Specifications

Style	Hinged Lid w/ One-Hand Latch
Use With	55 gal. Steel Drums
Dimensions	23.25" W x 26.75" L x 4.375" H
Brand	PIG
Drum Size	55 gal.
Drum Type	Steel Drum
Drum Mounting	Bolt-Ring
Padlockable	Padlockable w/ .25" Shackle
Special Feature	FM-Approved
Distributor Part Number	45gn94;452k53;45gn93;7282153;04088x00535
Sold as	1 per box
Weight	25 lbs.
# per Pallet	23
Composition	Lid - Steel Gasket - Nitrile Bungs - Nylon
UNSPSC	24112112
Pigalog® Page Number	Page 290

Metric Equivalent

Dimensions	59.1cm W x 67.9cm L x 11.1cm H
Weight	11.3 kg

Technical Information

Certifications, Approvals and Ratings

FM Approved,NFPA Code 30

Technical Documents

[Nitrile gasket for PIG® Drum lids and funnels](#)

[PIG Latching Drum Lid \(Steel\) Instructions](#)

[29 CFR 1910.106\(e\)\(2\)\(i\)](#)

[29 CFR 1910.22\(a\)](#)

[40 CFR 261.4](#)

[40 CFR 262.15](#)

[40 CFR 262.16\(b\)\(2\)\(iii\)](#)

40 CFR 262.17(a)(1)(iv)

40 CFR 264.1086(c)(1)(ii)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com