



## PIG® Burpless® Poly-Coated Steel Drum Funnel

DRM1126 For 20 to 55 gal. Poly or Steel Drums w/ 2" NPT, Overfill Preventer Sold Separately, 11.25" x 15" x 13"

Patented Burpless design delivers fast, no-splash pouring and one-handed access for easy reg compliance.

- Secure closure helps you meet closed container regs; opens and closes instantly using only one hand
- Patented Burpless design vents during pouring for fast, smooth flow with no dangerous splashback
- Lets you pour without venting through 3/4" bung, a possible closed container reg violation if left open
- Gasket and locking mechanism create a tight seal to help reduce vapor emissions
- Lockable to prevent unauthorized access
- Durable, chemical-resistant powder coat helps ensure long service life
- Multiple lid color options let you segregate drums
- Textured, poly-coated interior adds chemical resistance, resists peeling and rusting
- Low-profile steel drum funnel is perfect for pouring from small containers



Item#	Description	Dimensions	Weight
DRM1126-BK-NPT	NPT Threads	11.25" W x 15" L x 13" H	12.55 lbs.
DRM1126-RD-NPT	NPT Threads	11.25" W x 15" L x 13" H	12.55 lbs.

### Metric Equivalent:

Item#	Description	Dimensions	Weight
DRM1126-BK-NPT	NPT Threads	29cm W x 38cm L x 33cm H	5.7 kg
DRM1126-RD-NPT	NPT Threads	29cm W x 38cm L x 33cm H	5.7 kg

### Specifications

Use With	20 to 55 gal. Poly or Steel Drums w/ 2" NPT
Dimensions	11.25" W x 15" L x 13" H
Brand	PIG

<b>Category</b>	Steel Drum Funnel
<b>Drainage Space</b>	2.75" H x 10.5" Dia. Draining Area
<b>Drum Bung Opening</b>	2" NPT Bung
<b>Drum Type</b>	Steel Drum; Poly Drum
<b>Drum Size</b>	20 gal.; 30 gal.; 55 gal.
<b>Lid Type</b>	Latching/Locking Lid
<b>Overfill Preventer</b>	Sold Separately
<b>Special Feature</b>	Burpless; Vapor Control; Padlockable
<b>Use With Flammables</b>	Yes
<b>Sold as</b>	1 each
<b>Weight</b>	12.55 lbs.
<b>New Pig Patent</b>	5,676,185
<b># per Pallet</b>	48
<b>Composition</b>	Funnel: Powder-Coated Steel Lid Gasket: Polyethylene Foam Bung Gasket: PTFE Poly Coat: Epoxy
<b>UNSPSC</b>	27112902
<b>Pigalog® Page Number</b>	<a href="#">Page 286</a>

## Metric Equivalent

<b>Weight</b>	5.7 kg
<b>Dimensions</b>	29cm W x 38cm L x 33cm H

## Technical Information

### Technical Documents

[Polyethylene Foam Gasket for PIG Drum Lids and Funnels](#)

[Poly Coated Burpless® Funnel](#)

[29 CFR 1910.106\(e\)\(2\)\(i\)](#)

[40 CFR 262.15](#)

[40 CFR 262.16\(b\)\(2\)\(iii\)](#)

[40 CFR 264.1086\(c\)\(1\)\(ii\)](#)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)

