

FTI .5 HP Air-Operated Drum Pump System with PFS Pick-Up Tube

DRM8006 For Mild Corrosives; Non-Flammable Solvents, Max Flow Rate 22 gal./Minute, For 55 gal. Drum w/ 2" NPT Bung

Dispense mild corrosives and non-flammable liquids from 55-gallon drums with this air-powered drum pump system with steel pick-up tube.

- .5 hp, 300-6,000 RPM motor operates on 80 psi at 25 cfm and pumps up to 22 gpm; excellent for general light- to medium- viscosity jobs
- Includes 40"- long stainless-steel pump tube that fits a 55-gallon drum; handles temperatures up to 220° F
- Includes 5'- long reinforced PVC discharge hose with clamp
- Included stainless steel adaptor threads into 2" bung opening to hold pump tube upright and secure
- Included filter/lubricator helps ensure the long-term performance of your air pump motor



Specifications

Speed	Single Speed
Max Flow Rate	22 gal./Minute
Max Viscosity	330 CentiPoise
Use With	55 gal. Drum w/ 2" NPT Bung
Color	Blue/Silver
Air Line Input Fitting	.25" Air Line Fitting
Brand	Finish Thompson FTI
Bung Opening	2" NPT Bung
Compatible With	Mild Corrosives; Non-Flammable Solvents
Explosion Proof	No
Horsepower	.5
Ideal For	Corrosives; Solvents
Powered By	Air
Temperature Limit	Maximum Temperature 220°F (104°C)
Use With Flammables	No
Sold as	1 each
Weight	19.47 lbs.
Composition	Motor: Cast Iron & Aluminum Pick-Up Tube: Outer Material, Shaft Material - 316 Stainless

Steel

Internals - ETFE, PTFE, Stainless Steel, FKM

Hose: Reinforced PVC

Drum Adapter: Stainless Steel

Filter/Lubricator: Steel

Includes

- 1 - FTI .5 HP Air-Operated Pump Motor (DRM433)
- 1 - 40" L FTI PFS Pick-Up Tube (DRM508)
- 1 - int. dia. 1" x 5' L PVC Discharge Hose (DRM888)
- 1 - FTI IPS Adapter (DRM513)
- 1 - FTI Filter/Lubricator (DRM434)

Power Requirements

80-100 PSI @ 15-32 CFM

UNSPSC

40151529

Pigalog® Page Number

[Page 326](#)

Metric Equivalent

Weight

8.8 kg

Technical Information

USOnly

This product can ONLY be shipped to the United States.

Technical Documents

[PFS_FTIPumpsChemGuide](#)

[Pump Selection Guide](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](#) • hothogs@newpig.com