



PIG® Roll Top Hardcover Single Drum Container

DRM828 Holds (1) 55 gal. Plastic or Steel Drum, 32" x 34.25" x 64", 70 gal. Sump Capacity

Load your drums into our roomy roll top hard covers for all-weather protection and liquid containment. You don't even have to remove pumps and funnels!

- Extra-high and extra-wide design allows drum to be stored with a pump or funnel in place
- Weather-resistant design prevents contaminants from entering storm water
- Low-density polyethylene (LDPE) construction with UV inhibitors resists UV rays, rust, corrosion and most chemicals
- 70-gallon sump contains non-hazardous liquids
- Removable cover lifts off base for easy drum placement and removal
- Easy to move - just lift under collar with a forklift
- Roll top can be secured with a padlock (sold separately)
- Includes .75" drain plug in bottom for easy emptying



Item#	Description	Dimensions	Weight
DRM828-WD	With Drain	32" W x 34.25" D x 64" H	83 lbs.
DRM828-WOD	Without Drain	32" W x 34.25" D x 64" H	83 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
DRM828-WD	With Drain	81.3cm W x 87cm D x 162.6cm H	37.6 kg
DRM828-WOD	Without Drain	81.3cm W x 87cm D x 162.6cm H	37.6 kg

Specifications

Headroom	27.75"
Holds	(1) 55 gal. Plastic or Steel Drum
Color	Black/Gray
Dimensions	32" W x 34.25" D x 64" H
Load Capacity UDL	800 lbs.

Sump Capacity	70 gal.
Access	1 Sliding Door
Brand	PIG
Drain	Includes .75" Drain
Fork Truck Access	Lift Under Collar
Interior Dimensions	25" W x 25" D x 63" H
Use With Flammables	No
Sold as	1 each
Weight	83 lbs.
# per Pallet	1
Composition	Container, Cover - Polyethylene (LDPE) w/ UV Inhibitor Grate - Polyethylene
UNSPSC	24101905
Pigalog® Page Number	<u>Page 373</u>

Metric Equivalent

Dimensions	81.3cm W x 87cm D x 162.6cm H
Load Capacity UDL	362.9 kg
Sump Capacity	265 L
Weight	37.6 kg

Technical Information

Technical Documents

LDPE Products

[White paper – Slip & Fall Prevention Secrets](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

Disclaimers

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

