

PIG® Absorbent Anti-Fatigue Mat Roll with Poly Backing



FLM351 Absorbs Oils; Coolants; Solvents; Water; Universal; Acids; Bases; Unknowns, 31" x 50', Absorbent - Polypropylene/Backing - Polyethylene & Nylon

Whether standing, kneeling or lying, focus comfortably on the job at hand. Not only does this absorbent mat soak up any liquids headed your way, the anti-fatigue air bubbles let you work longer without sore knees, a tired back, aching legs or throbbing feet nagging at you.

- **Enjoy the quality.** This is the original, first-of-its-kind mat to combine cushioned anti-fatigue support from air bubbles with the universal absorbency you know and expect from New Pig. Safely soak up oils, water, coolants, solvents and more.
- **Use anywhere, in any position.** There's no shortage of uncomfortable positions your job puts you in throughout the day. This mat is designed to provide relief in all of them. Whether standing for long periods, kneeling on concrete floors or lying in awkward angles under dripping machines, now you can stay dry and comfortable until the work is done.
- **Easily adjust or replace.** The light weight makes it effortless to pick up and adjust or move – especially compared to other, heavy anti-fatigue mats – and it's disposable so you can conveniently replace it with a fresh mat as soon as the one you're using gets dirty.
- **Rely on the durability.** Don't let the idea of *air bubbles* fool you. Trust the durable construction, inside and out, to handle up to 2,000 lbs. per square foot, and the stitched top layer to withstand heavy foot traffic.
- **NOTE:** Mats take on the properties of the absorbed liquids, so always take proper precautions when handling saturated absorbents.



Specifications

Dimensions

31" W x 50' L x .5" H

| | |
|-----------------------------|--|
| Absorbency | Up to 8 gal. per bag |
| Absorbency per | Up to 8 gal. per roll |
| Brand | PIG |
| Fluid Absorbed | Oils; Coolants; Solvents; Water; Universal; Acids; Bases; Unknowns |
| Incinerable | Yes |
| Color | Gray |
| Industry | Automotive; Plumbing; Do It Yourself; Industrial |
| Indoor/Outdoor | Indoor Use |
| Perforated | No |
| Reusable | No |
| Special Feature | Poly-Backing |
| Static-Dissipative | No |
| Traffic | Medium Foot Traffic |
| Sold as | 1 roll per bag |
| Weight | 16 lbs. |
| # per Pallet | 10 |
| Composition | Absorbent - Polypropylene Backing - Polyethylene & Nylon |
| UNSPSC | 47131901 |
| Pigalog® Page Number | <u>Page 235</u> |

Metric Equivalent

| | |
|-----------------------|-----------------------------|
| Absorbency | Up to 30.3 L per bag |
| Absorbency per | Up to 30.3 L per roll |
| Dimensions | 78.7cm W x 15m L x 12.7mm H |
| Weight | 7.3 kg |

Technical Information

Technical Documents

[PIG Universal Absorbent Mats](#)

[PIG® Universal Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

