

PIG® Adjustable Frame Storm Drain Filter

FLT006 For Oil; Sediment; Debris; Trash, For Storm Drains 20" to 31" W & 20" to 31" L, Stainless Steel Adjustable Frame

Finally, a drain insert that won't fall into your catch basin! Innovative design guards your drains with improved filtering of oil, sediment and debris from stormwater runoff.

- Stainless steel adjustable frame adds strength and secures filter in place, so you'll never have to fish out a failed insert again
- Holds up to 60 lbs. of oil, sediment, debris and trash; stays in place even when grate is not installed
- Frame easily adjusts by hand to perfectly fit your square or rectangular drains from 20" to 31" W x 20" to 31" L
- Installation, maintenance and removal are now easy, one-person jobs to reduce your labor costs
- Four-stage filtration: PET construction removes contaminants from stormwater at multiple stages, increasing the amount of pollutants captured
- Stormwater flows through drain grate onto fabric shelf (Stage 1), passes over filter ring (Stage 2) into collection bag (Stage 3) and over four sets of filter strips (Stage 4)
- Patented filter ring channels water to center of collection bag to prevent untreated water from escaping through overflow ports
- Filter strips float freely like tentacles to remove hydrocarbons as water moves through collection bag
- Overflow ports help prevent blockage during high water flow
- Heavy-duty straps on all four sides allow easy handling and are visible even with grate in place
- Hi-viz straps help inspectors see from a distance that you're proactively managing your stormwater, and serve as a visual reminder for on-site maintenance
- Grommet on bottom of collection bag gives you the option of attaching extra absorbents, filters or other water treatment accessories
- The pore size is 0.074 mm, 74 microns, 0.0029 inches or 200 sieve





Specifications

Style	Inside the Drain
Use With	Storm Drains 20" to 31" W & 20" to 31" L
Dimensions	20" W x 20" L x 20" H
Absorbency	Up to 1 gal.
Application	Disposable
Brand	PIG
Color	Black
Drain Shape	Square; Rectangular
Max Flow Rate	600 gal./Minute
Opening Dimensions	12" Dia.
Special Feature	Stainless Steel Adjustable Frame
Substance Filtered	Oil; Sediment; Debris; Trash
UV Resistant	Yes
Distributor Part Number	494k84
Sold as	1 each
Weight	6.2 lbs.
New Pig Patent	10,508,430
# per Pallet	35
Composition	Filter - PET; Absorbent Strips - PET Frame - 304 Stainless Steel Handles – PET Edge Fabric – Urethane Coated Nylon
UNSPSC	47101514
Pigalog® Page Number	Page 174

Metric Equivalent

Absorbency	Up to 3.8 L
Dimensions	50.8cm W x 50.8cm L x 50.8cm H
Weight	2.8 kg

Technical Information

Technical Documents

Instructions for PIG Storm Drain Filter

40 CFR 122.26

