



## PIG® Outdoor Filter Berm Pad

FLT900 Absorbs Oils, Filters Water, 19.5" x 27" x 2.25", Absorbs up to .75 gal.

Provide easy outdoor spill containment with our geotextile oil filtration pads to capture oils, gas and other hydrocarbons while rainwater flows through.

- Replaceable absorbent liner captures leaks and spills of oils and fuels; clean water passes through walls as hydrocarbons are filtered out
- 2" foam sidewalls provide structure and ensure adequate filtering time in the event of a large rainfall
- Berm Pad is lightweight for easy handling yet durable enough to hold heavy loads
- Folds down and straps shut for quick storage and grab-and-go transportation
- Corner grommets let you stake Berm Pad to the ground to help stay in place when empty
- Ideal for temporary storage of small generators and other small equipment or containers at construction sites, oil fields and other outdoor areas



## Specifications

Style	Beyond the Drain
Dimensions	19.5" W x 27" L x 2.25" H
Absorbency	Up to .75 gal. per box
Brand	PIG
Fluid Absorbed	Oils, Filters Water
Folded Dimensions	17" W x 28.5" L x 4" H Folded
Color	Black/Yellow
Substance Filtered	Oil
UV Resistant	Yes
Distributor Part Number	54xk74
Sold as	1 pad per box
Weight	7.65 lbs.
# per Pallet	20

## Composition

Berm: Vinyl, Polyurethane Foam, Brass  
 Absorbent: Polyester, Cotton, Vinyl

<b>Includes</b>	1 - 19.5" W x 27" L x 2.25" H Reusable Berm 1 - 19.5" W x 27" L Filter Berm Pad (RFL900)
<b>UNSPSC</b>	47101514
<b>Pigalog® Page Number</b>	<u>Page 189</u>

## Metric Equivalent

<b>Absorbency</b>	Up to 2.8 L per box
<b>Dimensions</b>	49.5cm W x 68.6cm L x 5.7cm H
<b>Weight</b>	3.5 kg

## Technical Information

<b>CountryNoShip</b>
----------------------

This product is subject to export restrictions and cannot be shipped to Great Britain.

## Technical Documents

40 CFR 112.7

40 CFR 122.26



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)