



PIG® One-Way Directional Arrow Floor Sign & Marker - Box of 4

GMM21009 "One Way for Social Distancing Please" Marker Directs Foot Traffic in Indoor Lines, Checkouts & More, Stays in Place; Won't Damage Floors, Peel or Curl Up; Anti-Slip, Includes (4) 17" x 24" Peel & Stick Markers

Stay in compliance with non-slip arrow markers to direct traffic and reinforce social distancing in aisles and waiting areas. Adhesive-backed message signs are easy to install, stay down and won't leave residue or damage floors upon removal.

- Directional arrow markers help to create 6 ft. social distancing in aisles and walkways and mark one-way traffic flow in checkout lines, waiting areas, hallways, production and assembly lines, time clock areas and other places throughout your facility
- Helps companies and facilities stay in compliance with social distancing guidelines and create a safe environment; communicate to employees, guests and visitors how to safely navigate the facility
- Nonpermanent adhesive sticks to clean, dry floors with a super-tight grip, but peels up easily without damaging floors or leaving a residue
- Available in Spanish; contact 1-800-HOT-HOGS to place an order
- Unlike vinyl decals or tapes, our adhesive-backing has been proven in years of commercial and retail use to withstand full foot traffic, floor scrubbing and disinfectant use
- Anti-slip sign absorbs moisture and won't become slippery when wet like decals, tapes or paints can
- Leave in place and clean with mop or floor scrubber; can be scrubbed, vacuumed or swept off frequently without affecting performance
- Low profile does not create issues for heavy foot, cart, wheelchair or walker traffic; ADA compliant
- Withstands heavy foot and cart traffic and stays on the job for up to 3 months
- Durable, high-contrast message and images will not wear off
- Sticks to most commercial floor surfaces including smooth indoor concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring

- Apply pressure to surface when installing marker to ensure strong grip to the floor
- Recommended for indoor and non-carpeted surfaces only
- [Buy in bulk and save! Also available in a 50-pack \(GMC21009C\)](#)



Item#	Description	Dimensions	Weight
GMM21009-BK		17" W x 24" L	1.93 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
GMM21009-BK		43.2cm W x 61cm L	.9 kg

Specifications

Dimensions	17" W x 24" L
Backing Material	Adhesive-Backed
Brand	PIG
Category	Social Distancing
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Water; Grease; Oils
Ideal For	Directing Foot Traffic in One Direction — Perfect for Lines And Queues
Incinerable	Yes
Includes	(4) 17" x 24" Peel & Stick Markers
Industry	Grocery/Retail; Restaurant; Institutional Facilities; Healthcare/Lab; Industrial & Commercial; Government
Indoor/Outdoor	Indoor Use
Intended Use	Hard Floor Surfaces/Indoors
Legend	One Way For Social Distancing Please
Recommended Use	"One Way for Social Distancing Please" Marker Directs Foot Traffic in Indoor Lines, Checkouts & More
Special Feature	Stays in Place; Won't Damage Floors, Peel or Curl Up; Anti-Slip
Storage Temp Range	Store between 32°F and 120°F
Temperature Limit	Surface temps from 55°F to 120°F
Traffic	Heavy Foot Traffic; Carts & Equipment
Walking Surface	Absorbent Top

Distributor Part Number	56jh12
Sold as	4 pads per box
Weight	1.93 lbs.
# per Pallet	120
Composition	Absorbent - Polypropylene Adhesive Backing - Proprietary Adhesive Material
UNSPSC	47131901
Pigalog® Page Number	<u>Page N5</u>

Metric Equivalent

Dimensions	43.2cm W x 61cm L
Weight	.9 kg

Technical Information

Certifications, Approvals and Ratings

ADA Compliant, NFSI Certified, ANSI B101.1- 2009

Technical Documents

[PIG Grippy® Floor Mat](#)

[New Pig Adhesive-Backed Mat Notice](#)

[Instructions for PIG Grippy Floor Mat](#)

[PIG Grippy Floor Mat ADA Compliance](#)

[PIG® Grippy® Floor Mats](#)

[29 CFR 1910.22\(a\)\(2\)](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com