


PIG® Grippy® Adhesive-Backed Floor Mat

GRP36202 High-Traction, Self-Sticking Entrance & Walkway Runner, Mediumweight, (10) 3' x 5' mats per roll



Hassling with rubber-backed floor mats or rental mats? Make the switch to the mat that sticks; our super-safe, adhesive-backed commercial floor mat creates a safe walking surface in entrances and aisleways.

- Roll of ten precut 3' x 5' mediumweight mats make it easy to install a high-traction walking surface in wet problem spots for customers and employees; replaces outdated rental and rubber-backed floor mats and rugs
- Place in doorways and entrances, walkways and aisleways, transition areas, breakrooms and cafeterias, along produce walls or floral displays, on production floors, ramps and loading docks, beneath water fountains, ice machines and beverage stations or under liquid hazard areas
- Adhesive-backed floor mat stays exactly where you put it with no shifting, bunching up or ripples that cause slips and trips
- Dries out quickly without moisture soaking through to the floor; absorbs water, oil and grease and traps dirt and salt to keep it from being tracked around
- Sticks to the floor with a super-tight grip, but peels up easily without leaving a residue or damaging floors
- Weighs less than rental and rubber-backed mats for less hassle, saves you up to 50% per year on rental contracts and has a lower environmental impact
- Easy to clean: you can sweep, vacuum, mop, use your shop/wet vac or run your floor scrubber over Grippy Mat and it won't budge
- Stays in place for up to 3 to 6 months, depending on conditions and traffic patterns
- The thinnest commercial floor mat you can buy: no rippled edges to obstruct doors or create tripping hazards. ADA compliant for wheelchairs and walkers; carts and pallet jacks roll right over it
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring



- Tested and Certified by the National Floor Safety Institute (NFSI): high-traction surfaces such as PIG Grippy Floor Mat have been proven to reduce slip-and-fall claims by as much as 90%
- Mats take on the properties of absorbed liquids
- always take proper precautions when handling saturated absorbents



| Item# | Description | Dimensions | Weight |
|-------------|-------------|--------------|-----------|
| GRP36202-BK | | 3' W x 50' L | 12.6 lbs. |
| GRP36202-GY | | 3' W x 50' L | 12.6 lbs. |

Metric Equivalent:

| Item# | Description | Dimensions | Weight |
|-------------|-------------|------------------|--------|
| GRP36202-BK | | 91.4cm W x 15m L | 5.7 kg |
| GRP36202-GY | | 91.4cm W x 15m L | 5.7 kg |

Specifications

| | |
|------------------------------------|---|
| Style | High-Traction, Self-Sticking Entrance & Walkway Runner |
| Dimensions | 3' W x 50' L |
| Mat Weight | Mediumweight |
| Absorbency | Up to 4 gal. per roll |
| Backing Material | Adhesive-Backed |
| Brand | PIG |
| Category | Grippy® Floor Mat |
| Core Diameter | 3" |
| Flammability Specifications | Flame Resistant - Will melt and self-extinguish |
| Fluid Absorbed | Water; Grease; Oils |
| Incinerable | Yes |
| Industry | Grocery/Retail; Restaurant; Institutional & Commercial Facilities; Education; Hospitality |
| Indoor/Outdoor | Indoor Use |
| Pad Quantity | (10) 3' x 5' mats per roll |
| Perforated | No |
| Storage Temp Range | Store between 32°F and 120°F |
| Temperature Limit | Surface temps from 55°F to 120°F |
| Traffic | Heavy Foot Traffic; Carts & Equipment |

| | |
|--------------------------------|---|
| UV Resistant | No |
| Walking Surface | Absorbent Top |
| Distributor Part Number | 10811-218;40ch74;45gn72;53te77;6547100;04088x00506 |
| Sold as | 10 pads per roll |
| Weight | 12.6 lbs. |
| # per Pallet | 28 |
| Composition | Absorbent - Polypropylene Adhesive Backing - Proprietary Adhesive Material |
| UNSPSC | 47131901 |
| Pigalog® Page Number | Page 219 |

Metric Equivalent

| | |
|-------------------|-----------------------|
| Absorbency | Up to 15.1 L per roll |
| Dimensions | 91.4cm W x 15m L |
| Weight | 5.7 kg |

Technical Information

Certifications, Approvals and Ratings

ADA Compliant,NFSI Certified,ANSI B101.1- 2009

Technical Documents

[PIG Adhesive-Backed Mats](#)

[New Pig Adhesive-Backed Mat Notice](#)

[Instructions for PIG Grippy Floor Mat](#)

[Case Study – Market Basket Foods](#)

[PIG Grippy Floor Mat Savings Worksheet](#)

[PIG® Grippy® Floor Mats](#)

[29 CFR 1910.22\(a\)\(2\)](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com