

## PIG® Grippy® Adhesive-Backed Floor Mat Starter Pack

GRP36206 36" x 25', 1 roll



This all-in-one pack has everything you need to prevent slips, trips and falls and create a safe walking surface in entrances and aisleways in retail, manufacturing, education, healthcare, hospitality and office environments.

- 36" x 25' mediumweight roll allows you to customize the amount of walk off and floor coverage needed to provide a high-traction walking surface for customers and employees in wet problem spots in your facility; replaces outdated rental and rubber-backed floor mats and rugs
- Contains a 36" W x 25' L roll of PIG Grippy Floor Mat, a Safety Knife and Installation Board
- Place in doorways and entrances, walkways and aisleways, transition areas, breakrooms and cafeterias, along produce walls or floral displays, on production floors, ramps and loading docks, beneath water fountains, ice machines and beverage stations or under liquid hazard areas
- Adhesive-backed floor mat stays exactly where you put it with no shifting, bunching up or ripples that cause slips and trips
- Dries out quickly without moisture soaking through to the floor; absorbs water, oil and grease and traps dirt and salt to keep it from being tracked around
- Sticks to the floor with a super-tight grip, but peels up easily without leaving a residue or damaging floors
- Weighs less than rental and rubber-backed mats for less hassle, saves you up to 50% per year on rental contracts and has a lower environmental impact
- Easy to clean: you can sweep, vacuum, mop, use your shop/wet vac or run your floor scrubber over Grippy Mat and it won't budge
- Stays in place for up to 3 months, even under heavy foot, forklift and cart traffic
- The thinnest commercial floor mat you can buy: no rippled edges to obstruct doors or create tripping hazards. ADA compliant for wheelchairs and walkers; carts and pallet jacks roll right over it
- Sticks to most commercial floor surfaces



- including concrete, VCT, linoleum, ceramic tile, quarry tile and laminate flooring
- Installation Tool and Cutting Guide is a convenient, pre-scored cutting board that prevents damage to floors while it helps you make clean, accurate cuts, perfect corners and 45° angles (included)
- Safety Cutting Knife with recessed blade and protective edges lets you make quick, clean cuts and avoid injuries (included)
- Tested and Certified by the National Floor Safety Institute (NFSI): when used as part of your floor safety program, high-traction surfaces such as PIG Grippy Floor Mat have been proven to reduce slip-and-fall claims by as much as 90%
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents
- **VIDEO:** [Click here to watch the Installation Video](#)
- **VIDEO:** [Click here to watch Advanced Installation, Maintenance and Removal Techniques - Grocery Example](#)



Item#	Description	Dimensions	Weight
GRP36206-BK	Black	36" W x 25' L	11.55 lbs.
GRP36206-GY	Gray	36" W x 25' L	11.55 lbs.
GRP36206-TN	Tan	36" W x 25' L	11.55 lbs.

### Metric Equivalent:

Item#	Description	Dimensions	Weight
GRP36206-BK	Black	91.4cm W x 8m L	5.2 kg
GRP36206-GY	Gray	91.4cm W x 8m L	5.2 kg
GRP36206-TN	Tan	91.4cm W x 8m L	5.2 kg

### Specifications

Antimicrobial	No
Traffic	Heavy Foot Traffic; Carts & Equipment
Backing Material	Adhesive-Backed
Indoor/Outdoor	Indoor Use
Incinerable	Yes

<b>Flammability Specifications</b>	Flame Resistant - Will melt and self-extinguish
<b>Fluid Absorbed</b>	Water; Grease; Oils
<b>Dimensions</b>	36" W x 25' L
<b>Mat Weight</b>	Mediumweight
<b>Absorbency</b>	Up to 2 gal. per box
<b>Brand</b>	PIG
<b>Category</b>	Grippy® Floor Mat
<b>Core Diameter</b>	3"
<b>Industry</b>	Grocery/Retail; Restaurant; Institutional Facilities
<b>Perforated</b>	No
<b>Storage Temp Range</b>	Store between 32°F and 120°F
<b>Temperature Limit</b>	Surface temps from 55°F to 120°F
<b>Walking Surface</b>	Absorbent Top
<b>Sold as</b>	1 roll per box
<b>Weight</b>	11.55 lbs.
<b>New Pig Patent</b>	Pending
<b># per Pallet</b>	42
<b>Composition</b>	Absorbent - Polypropylene Adhesive Backing - Proprietary Adhesive Material Board- Polyethylene (HDPE) Knife Handle - Plastic & Rubber Cutting Blade - Metal Guard - Plastic
<b>UNSPSC</b>	47131901
<b>UV Resistant</b>	No
<b>Pigalog® Page Number</b>	<a href="#">Page 230</a>

## Metric Equivalent

<b>Absorbency</b>	Up to 7.6 L per box
<b>Dimensions</b>	91.4cm W x 8m L
<b>Weight</b>	5.2 kg

## Technical Information

### Certifications, Approvals and Ratings

ADA Compliant,NFSI Certified,ANSI B101.1- 2009

### Technical Documents

[PIG Grippy® Floor Mat](#)

[Instructions for PIG Grippy Floor Mat](#)

[Case Study – Market Basket Foods](#)

[Eliminate Rental Mats with PIG Grippy Floor Mat](#)

[FAQ for PIG Grippy Mat](#)

[National Floor Safety Institute \(NSFI\) Certification](#)

[PIG Grippy Floor Mat Savings Worksheet](#)

[White paper – Slip & Fall Prevention Secrets](#)

[\\*Citation for Life Cycle Assessment](#)

[New Pig Adhesive-Backed Mat Notice](#)

[PIG Adhesive-Backed Mats ADA Compliance](#)

[PIG® Grippy® Floor Mats](#)

[29 CFR 1910.22\(a\)\(2\)](#)

## **Disclaimers**

### **Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats**

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)