



PIG® Designer Series Adhesive-Backed Grippy® Floor Mat

GRP36902 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring, 3' W x 5' L, 10 pads per roll

Make a floor safety fashion statement with our stylish 87% recycled mat. The Grippy Designer Series delivers a soft, colorful, environmentally friendly mat when appearance and sustainability matter.

- Precut 3' x 5' roll provides the floor coverage and absorbency you need to control dirt and moisture; no cutting required
- Aesthetically pleasing mat is ideal for entrances, aisles, walkways and liquid hazard areas in Class A buildings, retail, hospitality, restaurants and architectural spaces
- Made from 87% post-consumer recycled plastic to help meet your LEED and sustainability initiatives
- Adhesive-backed floor mat stays exactly where you put it with no shifting, bunching up or flipping over that causes slips, trips and falls
- Soft, pliable construction provides a cushioned walking surface and is easy to apply and remove
- Designer color options let you match your floor safety solution to your décor
- Quickly absorbs liquids while trapping dust and dirt to keep floors clean, dry and safe
- Stays in place for up to 3 to 6 months in moderate to high-traffic areas
- Hides trapped dirt and salt but releases particles for easy cleaning with broom, vacuum, mop, wet vac, carpet scrubber or floor scrubber
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring
- Eliminates the hassles of rubber-backed mats; weighs less, saves you up to 50% per year on rental contracts and has a lower environmental impact
- ADA compliant for wheelchairs and walkers; carts and pallet jacks roll right over it
- Tested and Certified by the National Floor Safety Institute (NFSI): high-traction surfaces such as PIG Grippy Floor Mat have been proven to reduce slip-and-fall claims by as much as 90%

- Mats take on the properties of absorbed liquids
- always take proper precautions when handling saturated absorbents
- See Resources & Downloads section for product use guidance



| Item# | Description | Dimensions | Weight |
|--------------|-------------|-------------|------------|
| GRP36902-DM | | 3' W x 5' L | 17.25 lbs. |
| GRP36902-MC | | 3' W x 5' L | 17.25 lbs. |
| GRP36902-OT | | 3' W x 5' L | 17.25 lbs. |
| GRP36902-SLT | | 3' W x 5' L | 17.25 lbs. |

Metric Equivalent:

| Item# | Description | Dimensions | Weight |
|--------------|-------------|------------------|--------|
| GRP36902-DM | | 91cm W x 152cm L | 7.8 kg |
| GRP36902-MC | | 91cm W x 152cm L | 7.8 kg |
| GRP36902-OT | | 91cm W x 152cm L | 7.8 kg |
| GRP36902-SLT | | 91cm W x 152cm L | 7.8 kg |

Specifications

| | |
|-----------------------------|---|
| Absorbency Range | 1 - 9.9 gal. |
| Dimensions | 3' W x 5' L |
| Mat Weight | Mediumweight |
| Recycled Content | 87% Post-Consumer Recycled Polyester Fabric |
| Absorbency | Up to 4 gal. per roll |
| Absorbency per | Up to .4 gal. per pad |
| Brand | PIG |
| Category | Grippy® Designer Series |
| Flammability Specifications | Flame Resistant - Will melt and self-extinguish |
| Fluid Absorbed | Water; Grease; Oils |
| Incinerable | Yes |
| Industry | Commercial Facilities/Retail |
| Intended Use | Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring |
| Pad Quantity | (10) 3' x 5' mats per roll |
| Special Feature | Recycled Material |
| Storage Temp Range | Store between 32°F and 120°F |

| | |
|-----------------------------|---|
| Temperature Limit | Surface temps from 55°F to 120°F |
| Traffic | Heavy Foot Traffic; Carts & Equipment |
| UV Resistant | No |
| Sold as | 10 pads per roll |
| Weight | 17.25 lbs. |
| # per Pallet | 28 |
| Composition | Absorbent: Polyester Adhesive Backing: Proprietary Adhesive Material |
| UNSPSC | 47131901 |
| Pigalog® Page Number | Page 217 |

Metric Equivalent

| | |
|-----------------------|-----------------------|
| Absorbency per | Up to 1.5 L per pad |
| Absorbency | Up to 15.1 L per roll |
| Weight | 7.8 kg |
| Dimensions | 91cm W x 152cm L |

Technical Information

Certifications, Approvals and Ratings

ADA Compliant,NFSI Certified,ANSI B101.1- 2009

Technical Documents

[PIG Adhesive-Backed Mats](#)

[The Complete Slip, Trip & Fall Risk Zone Audit](#)

[New Pig Adhesive-Backed Mat Disclaimer and Warranty Info](#)

[Instructions for PIG Grippy Mat Cleaning & Care Guide](#)

[Instructions for PIG Grippy Mat Application, Cleaning and Care Guide](#)

[Technical Data Sheet for PIG® Adhesive-Backed Grippy Mat](#)

[White Paper- Getting a Grip on Slips, Trips and Falls](#)

[White Paper- The Walk Zone Safety Report](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com