

# PIG® Designer Series AdhesiveBacked Grippy® Floor Mat

GRP48902 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring,4' W x 6' L,8 pads per roll

Make a floor safety fashion statement with our stylish 87% recycled mat. The Grippy Designer Series delivers a soft, colorful, environmentally friendly mat when appearance and sustainability matter.

- Precut 4' x 6' roll provides the floor coverage and absorbency you need to control dirt and moisture; no cutting required
- Aesthetically pleasing mat is ideal for entrances, aisles, walkways and liquid hazard areas in Class A buildings, retail, hospitality, restaurants and architectural spaces
- Made from 87% post-consumer recycled plastic to help meet your LEED and sustainability initiatives
- Adhesive-backed floor mat stays exactly where you put it with no shifting, bunching up or flipping over that causes slips, trips and falls
- Soft, pliable construction provides a cushioned walking surface and is easy to apply and remove
- Designer color options let you match your floor safety solution to your décor
- Quickly absorbs liquids while trapping dust and dirt to keep floors clean, dry and safe
- Stays in place for up to 3 to 6 months in moderate to high-traffic areas
- Hides trapped dirt and salt but releases particles for easy cleaning with broom, vacuum, mop, wet vac, carpet scrubber or floor scrubber
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring
- Eliminates the hassles of rubber-backed mats; weighs less, saves you up to 50% per year on rental contracts and has a lower environmental impact
- ADA compliant for wheelchairs and walkers;
   carts and pallet jacks roll right over it
- Tested and Certified by the National Floor Safety Institute (NFSI): high-traction surfaces such as PIG Grippy Floor Mat have been proven to reduce slip-and-fall claims by as much as 90%

- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents
- See Resources &Downloads section for product use guidance



Item#	Description	Dimensions	Weight	
GRP48902-DM		4' W x 6' L	21.5 lbs.	
GRP48902-MC		4' W x 6' L	21.5 lbs.	
GRP48902-OT		4' W x 6' L	21.5 lbs.	
GRP48902-SLT		4' W x 6' L	21.5 lbs.	

# Metric Equivalent:

Item#	Description	Dimensions	Weight
GRP48902-DM		122cm W x 183cm L	9.8 kg
GRP48902-MC		122cm W x 183cm L	9.8 kg
GRP48902-OT		122cm W x 183cm L	9.8 kg
GRP48902-SLT		122cm W x 183cm L	9.8 kg

Specifications	
Absorbency Range	1 - 9.9 gal.
Dimensions	4' W x 6' L
Mat Weight	Mediumweight
Recycled Content	87% Post-Consumer Recycled Polyester Fabric
Absorbency	Up to 5 gal. per roll
Absorbency per	Up to .63 gal. per pad
Brand	PIG
Category	Grippy® Designer Series
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Water; Grease; Oils
Incinerable	Yes
Industry	Commercial Facilities/Retail
Intended Use	Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring
Pad Quantity	(8) 4' x 6' mats per roll
Special Feature	Recycled Material
Storage Temp Range	Store between 32°F and 120°F

Temperature Limit	Surface temps from 55°F to 120°F
Traffic	Heavy Foot Traffic; Carts & Equipment
UV Resistant	No
Sold as	8 pads per roll
Weight	21.5 lbs.
# per Pallet	40
Composition	Absorbent: Polyester Adhesive Backing: Proprietary Adhesive Material
UNSPSC	47131901
Pigalog® Page Number	Page 217

### Metric Equivalent

Absorbency per	Up to 2.4 L per pad	
Absorbency	Up to 18.9 L per roll	
Weight	9.8 kg	
Dimensions	122cm W x 183cm L	

#### **Technical Information**

#### **Certifications, Approvals and Ratings**

ADA Compliant, NFSI Certified, ANSI B101.1-2009

#### **Technical Documents**

PIG Adhesive-Backed Mats

The Complete Slip, Trip & Fall Risk Zone Audit

New Pig Adhesive-Backed Mat Disclaimer and Warranty Info

Instructions for PIG Grippy Mat Application, Cleaning and Care Guide

Technical Data Sheet for PIG® Adhesive-Backed Grippy Mat

White Paper- The Walk Zone Safety Report



## One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com