



PIG® Toilet Grippy® Mat

GRP7003 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring, 18" W x 15.5" L, 6 pads per box

Our adhesive-backed toilet mats absorb drips and splashes of water or urine to keep the floor around toilet bases dry and odor free.

- Toilet Mat fits around toilet base to provide maximum drip/splash coverage
- Permanently infused antimicrobial technology prevents the growth of odor-causing bacteria and mold on the mats to keep restrooms cleaner and fresher smelling
- Proprietary, full-coverage adhesive backing keeps mats in place underfoot with no shifting, curling or flipping up to stop slip and trip hazards; peels up easily
- Mats stick to your floor and won't budge while you clean them; simply mop them with the rest of the floor
- Durable, Hi-Trac™ Surface stands up to daily cleaning and restroom traffic
- EFM™ Absorbent Technology captures urine and water on contact, wicks them away and dries out quickly
- Impermeable backing layers stop liquid pass-through to prevent stains and grout damage
- Tested and certified by the National Floor Safety Institute (NFSI) as a high-traction surface which can reduce slip and fall claims by as much as 90% when used as part of a Floor Safety Program
- Release paper on the bottom of the mat should be removed prior to installation
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents
- See Resources & Downloads section for product use guidance



Item#	Description	Dimensions	Weight
GRP7003-BK		18" W x 15.5" L	1.39 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
GRP7003-BK		46cm W x 39cm L	.6 kg

Specifications

Absorbency Range	0 - 0.9 gal.
Dimensions	18" W x 15.5" L
Mat Weight	Mediumweight
Absorbency	Up to .28 gal. per box
Absorbency per	Up to .04 gal. per pad
Antimicrobial	Yes
Brand	PIG
Category	Grippy® Restroom Mat
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Water; Urine
Incinerable	Yes
Industry	Commercial Facilities/Retail
Intended Use	Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring
Traffic	Heavy Foot Traffic; Carts & Equipment
Sold as	6 pads per box
Weight	1.39 lbs.
Composition	Absorbent: Polypropylene Adhesive Backing: Proprietary Adhesive Material
UNSPSC	47131901
Pigalog® Page Number	Page 227

Metric Equivalent

Absorbency per	Up to .2 L per pad
Absorbency	Up to 1.1 L per box
Weight	.6 kg
Dimensions	46cm W x 39cm L

Technical Information

Certifications, Approvals and Ratings

ADA Compliant,NFSI Certified,ANSI B101.1- 2009

Technical Documents

[PIG Adhesive-Backed Mats](#)

[The Complete Slip, Trip & Fall Risk Zone Audit](#)

[New Pig Adhesive-Backed Mat Disclaimer and Warranty Info](#)

Instructions for PIG Grippy Mat Application, Cleaning and Care Guide

Technical Data Sheet for PIG® Adhesive-Backed Grippy Mat

White Paper- The Walk Zone Safety Report

29 CFR 1910.22(a)(2)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com