

## **PIG® Berber Carpet Adhesive-Backed Grippy® Floor Mat**

GRP913X50 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring, 3' x 50', 1 roll



Keep floors safe and capture dirt and liquid at your door with our carpeted adhesive-backed runner; replace your rental rugs in entrances, walkways and lobbies with our stylish absorbent mat to prevent slips, trips and falls.

- 3' x 50' roll allows you to create the runner or mat shape you desire to stop moisture and dirt at the door; cuts easily without fraying or unraveling so you can create the size you need
- Our stylish PIG Berber Carpet Grippy Mats complement modern or upscale lobbies and vestibules, entryways, walkways and more
- Adhesive-backed floor mat stays exactly where you put it with no shifting, bunching up or ripples that cause slips and trips — no straightening, no hassles
- Dries out quickly without moisture soaking through to the floor; absorbs water, oil and grease and traps dirt, debris and sand to keep it from being tracked around
- Sticks to the floor with a super-tight grip, but peels up easily without leaving a residue or damaging floors
- Saves you money as a cost-effective replacement for risky and outdated traditional rubber-backed entrance mats and scraper mats that can cause slips and trips
- Commercial-grade durability allows you to keep mat in place for 3 to 6 months depending on your conditions; carpet fibers resist fading, staining and crushing
- Easy to clean: you can sweep, vacuum, mop or use your carpet extractor over Grippy Mat and it won't budge
- No rippled edges to obstruct doors or create tripping hazards; ADA compliant for wheelchairs and walkers
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring
- Tested and Certified by the National Floor Safety Institute (NFSI): high-traction surfaces such as PIG Berber Carpet Grippy Mat have been proven to reduce slip-and-fall claims by as much as 90%

- Mats take on the properties of absorbed liquids
- always take proper precautions when handling saturated absorbents



Item#	Description	Dimensions	Weight
GRP913X50-BK		3' W x 50' L	23.75 lbs.
GRP913X50-BR		3' W x 50' L	23.75 lbs.
GRP913X50-BY		3' W x 50' L	23.75 lbs.
GRP913X50-GY		3' W x 50' L	23.75 lbs.

### Metric Equivalent:

Item#	Description	Dimensions	Weight
GRP913X50-BK		91cm W x 15.2m L	10.8 kg
GRP913X50-BR		91cm W x 15.2m L	10.8 kg
GRP913X50-BY		91cm W x 15.2m L	10.8 kg
GRP913X50-GY		91cm W x 15.2m L	10.8 kg

### Specifications

<b>Dimensions</b>	3' W x 50' L
<b>Mat Weight</b>	Heavyweight
<b>Recycled Content</b>	100% Post-Consumer Recycled Polyester Fabric
<b>Absorbency</b>	Up to 13.6 gal. per roll
<b>Brand</b>	PIG
<b>Category</b>	Grippy® Carpet Mat
<b>Flammability Specifications</b>	Flame Resistant - Will melt and self-extinguish
<b>Fluid Absorbed</b>	Water; Grease; Oils
<b>Incinerable</b>	Yes
<b>Industry</b>	Commercial Facilities/Retail
<b>Intended Use</b>	Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring
<b>Special Feature</b>	With Carpeted Surface
<b>Storage Temp Range</b>	Store between 32°F and 120°F
<b>Temperature Limit</b>	Surface temps from 55°F to 120°F
<b>Traffic</b>	Heavy Foot Traffic; Carts & Equipment
<b>UV Resistant</b>	Yes
<b>Sold as</b>	1 roll

<b>Weight</b>	23.75 lbs.
<b># per Pallet</b>	11
<b>Composition</b>	Absorbent - Polyester Adhesive Backing - Proprietary Adhesive Material
<b>UNSPSC</b>	47131901
<b>Pigalog® Page Number</b>	<u>Page 212</u>

## Metric Equivalent

<b>Absorbency</b>	Up to 51.5 L per roll
<b>Dimensions</b>	91cm W x 15.2m L
<b>Weight</b>	10.8 kg

## Technical Information

### Certifications, Approvals and Ratings

ADA Compliant, NFSI Certified, ANSI B101.1- 2009

### Technical Documents

[PIG Grippy Carpeted Entrance and Floor Mat](#)

[New Pig Adhesive-Backed Mat Notice](#)

[PIG Grippy® Adhesive-Backed Berber / Checker Entrance Mat](#)

[29 CFR 1910.22\(a\)\(2\)](#)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)