

PIG® Berber Carpet Adhesive-Backed Grippy® Floor Mat

GRP913X50 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring,3' W x 50' L,1 roll

Keep floors safe and capture dirt and liquid at your door with our carpeted adhesive-backed runner; replace your rental rugs in entrances, walkways and lobbies with our stylish absorbent mat to prevent slips, trips and falls.

- 3' x 50' roll allows you to create the runner or mat shape you desire to stop moisture and dirt at the door; cuts easily without fraying or unraveling so you can create the size you need
- Our stylish PIG Berber Carpet Grippy Mats complement modern or upscale lobbies and vestibules, entryways, walkways and more
- Adhesive-backed floor mat stays exactly where you put it with no shifting, bunching up or ripples that cause slips and trips — no straightening, no hassles
- Dries out quickly without moisture soaking through to the floor; absorbs water, oil and grease and traps dirt, debris and sand to keep it from being tracked around
- Sticks to the floor with a super-tight grip, but peels up easily without leaving a residue or damaging floors
- Saves you money as a cost-effective replacement for risky and outdated traditional rubber-backed entrance mats and scraper mats that can cause slips and trips
- Commercial-grade durability allows you to keep mat in place for 3 to 6 months depending on your conditions; carpet fibers resist fading, staining and crushing
- Easy to clean: you can sweep, vacuum, mop or use your carpet extractor over Grippy Mat and it won't budge
- No rippled edges to obstruct doors or create tripping hazards; ADA compliant for wheelchairs and walkers
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring
- Tested and Certified by the National Floor Safety Institute (NFSI): high-traction surfaces such as PIG Berber Carpet Grippy Mat have been proven to reduce slip-and-fall claims by as

much as 90%

- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents
- See Resources &Downloads section for product use guidance





Temperature Limit







| Item# | Description | Dimensions | Weight |
|-----------------------------|-------------|---------------------------------------|--------------------------------|
| GRP913X50-BK | | 3' W x 50' L | 23.75 lbs. |
| GRP913X50-BR | | 3' W x 50' L | 23.75 lbs. |
| GRP913X50-BY | | 3' W x 50' L | 23.75 lbs. |
| GRP913X50-GY | | 3' W x 50' L | 23.75 lbs. |
| Metric Equivalent: | | | |
| Item# | Description | Dimensions | Weight |
| GRP913X50-BK | | 91cm W x 15.2m L | 10.8 kg |
| GRP913X50-BR | | 91cm W x 15.2m L | 10.8 kg |
| GRP913X50-BY | | 91cm W x 15.2m L | 10.8 kg |
| GRP913X50-GY | | 91cm W x 15.2m L | 10.8 kg |
| Specifications | | | |
| Absorbency Range | | 10 - 19.9 gal. | |
| Dimensions | | 3' W x 50' L | |
| Mat Weight | | Heavyweight | |
| Recycled Content | | 100% Post-Consumer Recycl | ed Polyester Fabric |
| Absorbency | | Up to 13.6 gal. per roll | |
| Brand | | PIG | |
| Category | | Grippy® Carpet Mat | |
| Flammability Specifications | | Flame Resistant - Will melt ar | nd self-extinguish |
| Fluid Absorbed | | Water; Grease; Oils | |
| Incinerable | | Yes | |
| Industry | | Commercial Facilities/Retail | |
| Intended Use | | Indoor Use on Concrete, Viny Flooring | l, Linoleum, Tile and Laminate |
| Special Feature | | With Carpeted Surface | |
| Storage Temp Range | | Store between 32°F and 120° | °F |

Surface temps from 55°F to 120°F

| Traffic | Heavy Foot Traffic; Carts & Equipment |
|----------------------|--|
| UV Resistant | Yes |
| Sold as | 1 roll |
| Weight | 23.75 lbs. |
| # per Pallet | 11 |
| Composition | Absorbent: Polyester Adhesive Backing: Proprietary Adhesive Material |
| UNSPSC | 47131901 |
| Pigalog® Page Number | Page 219 |

Metric Equivalent

| Absorbency | Up to 51.5 L per roll |
|------------|-----------------------|
| Weight | 10.8 kg |
| Dimensions | 91cm W x 15.2m L |

Technical Information

Certifications, Approvals and Ratings

ADA Compliant, NFSI Certified, ANSI B101.1-2009

Technical Documents

PIG Grippy Carpeted Entrance and Floor Mat

The Complete Slip, Trip & Fall Risk Zone Audit

New Pig Adhesive-Backed Mat Disclaimer and Warranty Info

Instructions for PIG Grippy Mat Cleaning & Care Guide

Instructions for PIG Grippy Mat Application, Cleaning and Care Guide

Technical Data Sheet for PIG® Adhesive-Backed Grippy Mat

White Paper- Getting a Grip on Slips, Trips and Falls

White Paper- The Walk Zone Safety Report

29 CFR 1910.22(a)(2)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com