

## **PIG® Checkered Carpet Adhesive-Backed Grippy® Floor Mat**

GRP923X10 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring, 3' x 10', 1 roll

Keep floors safe and capture dirt and liquid at your door with our carpeted adhesive-backed runner; replace your rental rugs in entrances, walkways and lobbies with our stylish absorbent mat to prevent slips, trips and falls.

- Precut 3' x 10' roll provides the floor coverage and absorbency you need to control dirt and moisture in entrances and walkways; no cutting required
- Our stylish Checkered carpeted floor mats complement modern or upscale lobbies and vestibules, entryways, walkways and more
- Adhesive-backed floor mat stays exactly where you put it with no shifting, bunching up or ripples that cause slips and trips — no straightening, no hassles
- Dries out quickly without moisture soaking through to the floor; absorbs water, oil and grease and traps dirt, debris and sand to keep it from being tracked around
- Sticks to the floor with a super-tight grip, but peels up easily without leaving a residue or damaging floors
- Saves you money as a cost-effective replacement for risky and outdated traditional rubber-backed entrance mats and scraper mats that can cause slips and trips
- Commercial-grade durability allows you to keep mat in place for 3 to 6 months depending on your conditions; carpet fibers resist fading, staining and crushing
- Easy to clean: you can sweep, vacuum, mop or use your carpet extractor over Grippy Mat and it won't budge
- No rippled edges to obstruct doors or create tripping hazards; ADA compliant for wheelchairs and walkers
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring
- Tested and Certified by the National Floor Safety Institute (NFSI): high-traction surfaces such as PIG Grippy Floor Mat have been proven to reduce slip-and-fall claims by as much as 90%



- Mats take on the properties of absorbed liquids
- always take proper precautions when handling saturated absorbents



Item#	Description	Dimensions	Weight
GRP923X10-BK		3' W x 10' L	4.6 lbs.
GRP923X10-BR		3' W x 10' L	4.6 lbs.
GRP923X10-BY		3' W x 10' L	4.6 lbs.
GRP923X10-GY		3' W x 10' L	4.6 lbs.

### Metric Equivalent:

Item#	Description	Dimensions	Weight
GRP923X10-BK		91cm W x 3m L	2.1 kg
GRP923X10-BR		91cm W x 3m L	2.1 kg
GRP923X10-BY		91cm W x 3m L	2.1 kg
GRP923X10-GY		91cm W x 3m L	2.1 kg

### Specifications

<b>Absorbency Range</b>	1 - 9.9 gal.
<b>Dimensions</b>	3' W x 10' L
<b>Mat Weight</b>	Heavyweight
<b>Recycled Content</b>	100% Post-Consumer Recycled Polyester Fabric
<b>Absorbency</b>	Up to 2.72 gal. per roll
<b>Brand</b>	PIG
<b>Category</b>	Grippy® Carpet Mat
<b>Flammability Specifications</b>	Flame Resistant - Will melt and self-extinguish
<b>Fluid Absorbed</b>	Water; Grease; Oils
<b>Incinerable</b>	Yes
<b>Industry</b>	Commercial Facilities/Retail
<b>Intended Use</b>	Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring
<b>Special Feature</b>	With Carpeted Surface
<b>Storage Temp Range</b>	Store between 32°F and 120°F
<b>Temperature Limit</b>	Surface temps from 55°F to 120°F
<b>Traffic</b>	Heavy Foot Traffic; Carts & Equipment
<b>UV Resistant</b>	Yes

<b>Sold as</b>	1 roll
<b>Weight</b>	4.6 lbs.
<b># per Pallet</b>	44
<b>Composition</b>	Absorbent: Polyester Adhesive Backing: Proprietary Adhesive Material
<b>UNSPSC</b>	47131901

## Metric Equivalent

<b>Absorbency</b>	Up to 10.3 L per roll
<b>Weight</b>	2.1 kg
<b>Dimensions</b>	91cm W x 3m L

## Technical Information

### Certifications, Approvals and Ratings

ADA Compliant, NFSI Certified, ANSI B101.1- 2009

### Technical Documents

[PIG Grippy Carpeted Entrance and Floor Mat](#)

[The Complete Slip, Trip & Fall Risk Zone Audit](#)

[New Pig Adhesive-Backed Mat Notice](#)

[Instructions for PIG Grippy Mat Cleaning & Care Guide](#)

[Instructions for PIG Grippy Mat Application, Cleaning and Care Guide](#)

[Technical Data Sheet for PIG® Adhesive-Backed Grippy Floor Mat](#)

[White Paper- Getting a Grip on Slips, Trips and Falls](#)

[White Paper- The Walk Zone Safety Report](#)

[29 CFR 1910.22\(a\)\(2\)](#)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)