

## PIG® High-Visibility Safety Floor Runner

GRPSB36200 3' x 100', 1 roll



Provide a no-slip path in hazardous walking areas with our super-safe, adhesive-backed absorbent runner — its high-visibility yellow safety edges can't be missed!



- Tapes and paints are easy to see but do nothing to create a safer floor surface. The PIG High-Visibility Safety Floor Runner is the only floor safety solution that combines a high-traction walking surface with a high-visibility safety edge pattern
- Adhesive backing keeps mat exactly where you put it with no shifting, bunching up or flipping over; traps dirt, salt and moisture to keep it from being tracked around
- Highly visible yellow and black marking is designed to meet ANSI standard for floor markings and help you comply with OSHA 1910.22 (walking surfaces standard)
- Durable printed surface withstands industrial wear and tear; even forklift traffic
- Mat is highly absorbent, quick-drying, very low profile, extremely durable and effortless to maintain
- Easy to use and customize: roll out continuous coverage with no gaps, ripples or overlaps that cause slips and trips; create custom-sized floor runners, even around corners
- Proprietary adhesive sticks to the floor with a super-tight grip, but peels up easily to replace when mat shows signs of wear
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring
- Easy to clean: you can sweep, vacuum, mop, use your shop/wet vac or run your floor scrubber and it won't budge
- The thinnest commercial floor mat you can buy: no rippled edges to obstruct doors or create tripping hazards; ADA compliant for wheelchairs and walkers; carts and pallet jacks roll right over it
- Stays in place for up to 3 months, depending on conditions and traffic patterns
- Absorbs a wide variety of liquids including water, oil and grease; leakproof backing prevents liquid from soaking through to the floor

- Tested and Certified by the National Floor Safety Institute (NFSI): when used as part of your floor safety program, high-traction surfaces such as PIG Grippy Floor Mat have been proven to reduce slip-and-fall claims by as much as 90%



Item#	Description	Dimensions	Weight
GRPSB36200-BK		3' W x 100' L	25.52 lbs.

**Metric Equivalent:**

Item#	Description	Dimensions	Weight
GRPSB36200-BK		91.4cm W x 30m L	11.6 kg

**Specifications**

<b>Dimensions</b>	3' W x 100' L
<b>Mat Weight</b>	Mediumweight
<b>Absorbency</b>	Up to 8 gal. per roll
<b>Backing Material</b>	Adhesive-Backed
<b>Brand</b>	PIG
<b>Core Diameter</b>	3"
<b>Flammability Specifications</b>	Flame Resistant - Will melt and self-extinguish
<b>Fluid Absorbed</b>	Water; Grease; Oils
<b>Incinerable</b>	Yes
<b>Industry</b>	Industrial Facilities; Manufacturing; Shops & Garages
<b>Indoor/Outdoor</b>	Indoor Use
<b>Perforated</b>	No
<b>Storage Temp Range</b>	Store between 32°F and 120°F
<b>Temperature Limit</b>	Surface temps from 55°F to 120°F
<b>Traffic</b>	Heavy Foot Traffic; Carts & Equipment
<b>UV Resistant</b>	No
<b>Walking Surface</b>	Absorbent Top
<b>Sold as</b>	1 roll
<b>Weight</b>	25.52 lbs.
<b># per Pallet</b>	18
<b>Composition</b>	Absorbent - Polypropylene Adhesive Backing - Proprietary Adhesive Material

## Metric Equivalent

<b>Absorbency</b>	Up to 30.3 L per roll
<b>Dimensions</b>	91.4cm W x 30m L
<b>Weight</b>	11.6 kg

## Technical Information

### Certifications, Approvals and Ratings

ADA Compliant,NFSI Certified,ANSI B101.1- 2009

### Technical Documents

[PIG Adhesive-Backed Mats](#)

[New Pig Adhesive-Backed Mat Notice](#)

[PIG® Grippy® Floor Mats](#)

[29 CFR 1910.22\(a\)\(2\)](#)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)