

PIG® Safety Border Adhesive-Backed Grippy® Floor Mat

GRPSB36201 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring, 3' x 50', 1 roll

Provide a no-slip path in hazardous walking areas with our super-safe, adhesive-backed absorbent runner — its high-visibility yellow safety edges can't be missed!



- Tapes and paints are easy to see but do nothing to create a safer floor surface. The PIG Safety Border Adhesive-Backed Grippy Floor Mat is the only floor safety solution that combines a high-traction walking surface with a high-visibility safety edge pattern
- Adhesive backing keeps mat exactly where you put it with no shifting, bunching up or flipping over; traps dirt, salt and moisture to keep it from being tracked around
- Highly visible yellow and black marking is designed to meet ANSI standard for floor markings and help you comply with OSHA 1910.22 (walking surfaces standard)
- Durable printed surface withstands industrial wear and tear; even forklift traffic
- Mat is highly absorbent, quick-drying, very low profile, extremely durable and effortless to maintain
- Easy to use and customize: roll out continuous coverage with no gaps, ripples or overlaps that cause slips and trips; create custom-sized floor runners, even around corners
- Proprietary adhesive sticks to the floor with a super-tight grip, but peels up easily to replace when mat shows signs of wear
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring
- Easy to clean: you can sweep, vacuum, mop, use your shop/wet vac or run your floor scrubber and it won't budge
- The thinnest commercial floor mat you can buy: no rippled edges to obstruct doors or create tripping hazards; ADA compliant for wheelchairs and walkers; carts and pallet jacks roll right over it
- Stays in place for up to 3 months, depending on conditions and traffic patterns
- Absorbs a wide variety of liquids including water, oil and grease; leakproof backing

prevents liquid from soaking through to the floor
 - Tested and Certified by the National Floor Safety Institute (NFSI): when used as part of your floor safety program, high-traction surfaces such as PIG Safety Border Grippy Mat have been proven to reduce slip-and-fall claims by as much as 90%



Item#	Description	Dimensions	Weight
GRPSB36201-BK		3' W x 50' L	13.1 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
GRPSB36201-BK		91cm W x 15.2m L	5.9 kg

Specifications

Absorbency Range	1 - 9.9 gal.
Dimensions	3' W x 50' L
Mat Weight	Mediumweight
Absorbency	Up to 4 gal. per roll
Brand	PIG
Category	Grippy® Safety Border Mat
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils; Coolants; Solvents; Water; Universal
Incinerable	Yes
Industry	Industrial Facilities; Shops & Garages
Intended Use	Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring
Special Feature	Printed Safety Message
Storage Temp Range	Store between 32°F and 120°F
Temperature Limit	Surface temps from 55°F to 120°F
Traffic	Heavy Foot Traffic; Carts & Equipment
UV Resistant	No
Sold as	1 roll
Weight	13.1 lbs.
# per Pallet	28

Composition

Absorbent: Polypropylene
 Adhesive Backing: Proprietary Adhesive Material

Metric Equivalent

Absorbency	Up to 15.1 L per roll
Weight	5.9 kg
Dimensions	91cm W x 15.2m L

Technical Information

Certifications, Approvals and Ratings

ADA Compliant,NFSI Certified,ANSI B101.1- 2009

Technical Documents

[PIG Adhesive-Backed Mats](#)

[The Complete Slip, Trip & Fall Risk Zone Audit](#)

[New Pig Adhesive-Backed Mat Notice](#)

[Instructions for PIG Grippy Mat Cleaning & Care Guide](#)

[Instructions for PIG Grippy Mat Application, Cleaning and Care Guide](#)

[Technical Data Sheet for PIG® Adhesive-Backed Grippy Floor Mat](#)

[White Paper- Getting a Grip on Slips, Trips and Falls](#)

[White Paper- The Walk Zone Safety Report](#)

[29 CFR 1910.22\(a\)\(2\)](#)



One Pork Avenue • Tipton, PA 16684-0304
 1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com