



PIG® Caution Forklift Traffic Safety Message Mat

GRPWS3503 3' x 5', 2 pads

Combines a high-traction, non-slip, adhesive-backed mat with hi-viz Caution Forklift Traffic message to help prevent slips, trips and falls.

- Adhesive-backed mat sticks to the floor without shifting, bunching or tripping up workers; hi-viz Caution Forklift Traffic image identifies workplace caution
- Large 20" safety image alerts employees to safety requirements or cautions in their workplace
- Absorbent and high-traction top layer removes liquid and debris from shoes and prevents falls in wet, oily work environments
- 5 feet of walk-off coverage prevents dirt, grime and moisture from being tracked around, keeping surrounding floors clean and dry
- Message mat is durable enough to withstand heavy foot traffic, forklifts and pallet jacks
- Absorbs a wide variety of liquids including water, oil and grease; leakproof backing prevents liquid from soaking through to the floor
- Peels up easily without leaving a residue; simply replace when mat shows signs of wear
- Easy to clean; message mat won't shift or be damaged by mops, vacuums, shop/wet vacs or floor scrubbers
- Sticks to most floor surfaces including concrete, VCT, linoleum, ceramic tile, quarry tile and laminate flooring



Item#	Description	Dimensions	Weight
GRPWS3503-BK	Black	3' W x 5' L	4.3 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
GRPWS3503-BK	Black	91.4cm W x 152.4cm L	2 kg

Specifications

Traffic	Heavy Foot Traffic; Carts & Equipment
Indoor/Outdoor	Indoor Use

Pad Quantity	(2) 3' x 5' pads per roll
Incinerable	Yes
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils, Coolants, Solvents, Water – Universal
Dimensions	3' W x 5' L
Absorbency	Up to 1 gal. per roll
Absorbency per	Up to .5 gal. per pad
Brand	PIG
Category	Caution Forklift Traffic
Core Diameter	3"
Industry	Industrial Facilities; Shops & Garages
Legend	Caution Forklift Traffic
Walking Surface	Absorbent Top
Sold as	2 pads per roll
Weight	4.3 lbs.
New Pig Patent	Patent Pending
# per Pallet	42
Composition	Absorbent - Polypropylene Adhesive Backing - Proprietary Adhesive Material
UNSPSC	47131901
UV Resistant	No
Pigalog® Page Number	<u>Page N2</u>

Metric Equivalent

Absorbency per	Up to 1.9 L per pad
Absorbency	Up to 3.8 L per roll
Dimensions	91.4cm W x 152.4cm L
Weight	2 kg

Technical Information

Certifications, Approvals and Ratings

ADA Compliant,NFSI Certified,ANSI B101.1- 2009

Technical Documents

[PIG Adhesive-Backed Mats](#)

[White paper – Slip & Fall Prevention Secrets](#)

[*Citation for Life Cycle Assessment](#)

[New Pig Adhesive-Backed Mat Notice](#)

[PIG Adhesive-Backed Mats ADA Compliance](#)

Disclaimers

Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

Color Variation Statement

It is normal for top layer materials to show minor variations in color between production runs. This is particularly true for the grades of materials used in consumable or disposable products such as our adhesive-backed mats. New Pig makes every effort to achieve consistent color, but some variance is possible. Perceived differences in color may also result from mat layout orientation or uneven traffic wear patterns.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com