



## PIG® Pedestrian Traffic Only Safety Message Grippy® Floor Mat

GRPWS3507 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring, 3' x 5', 2 pads per roll

Combines a high-traction, non-slip, adhesive-backed mat with high-visibility Pedestrian Traffic Only message to help prevent slips, trips and falls.

- Adhesive-backed mat sticks to the floor without shifting, bunching or tripping up workers; high-visibility Pedestrian Traffic Only image identifies workplace caution
- Large 20" safety image alerts employees to safety requirements or cautions in their workplace
- Absorbent and high-traction top layer removes liquid and debris from shoes and prevents falls in wet, oily work environments
- 5 feet of walk-off coverage prevents dirt, grime and moisture from being tracked around, keeping surrounding floors clean and dry
- Message mat is durable enough to withstand heavy foot traffic, forklifts and pallet jacks
- Absorbs a wide variety of liquids including water, oil and grease; leakproof backing prevents liquid from soaking through to the floor
- Peels up easily without leaving a residue; simply replace when mat shows signs of wear
- Easy to clean; message mat won't shift or be damaged by mops, vacuums, shop/wet vacs or floor scrubbers
- Sticks to most floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring



Item#	Description	Dimensions	Weight
GRPWS3507-BK		3' W x 5' L	3.7 lbs.

### Metric Equivalent:

Item#	Description	Dimensions	Weight
GRPWS3507-BK		91cm W x 152cm L	1.7 kg

### Specifications

<b>Absorbency Range</b>	1 - 9.9 gal.
<b>Dimensions</b>	3' W x 5' L
<b>Absorbency</b>	Up to 1 gal. per roll
<b>Absorbency per</b>	Up to .5 gal. per pad
<b>Brand</b>	PIG
<b>Category</b>	Grippy® Safety Message Mat
<b>Flammability Specifications</b>	Flame Resistant - Will melt and self-extinguish
<b>Fluid Absorbed</b>	Oils; Coolants; Solvents; Water; Universal
<b>Incinerable</b>	Yes
<b>Industry</b>	Industrial Facilities; Shops & Garages
<b>Intended Use</b>	Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring
<b>Legend</b>	Pedestrian Traffic Only
<b>Pad Quantity</b>	(2) 3' x 5' pads per roll
<b>Special Feature</b>	Printed Safety Message
<b>Traffic</b>	Heavy Foot Traffic; Carts & Equipment
<b>UV Resistant</b>	No
<b>Sold as</b>	2 pads per roll
<b>Weight</b>	3.7 lbs.
<b>Composition</b>	Absorbent: Polypropylene Adhesive Backing: Proprietary Adhesive Material
<b>UNSPSC</b>	47131901
<b>Pigalog® Page Number</b>	<a href="#">Page 216</a>

## Metric Equivalent

<b>Absorbency per</b>	Up to 1.9 L per pad
<b>Absorbency</b>	Up to 3.8 L per roll
<b>Weight</b>	1.7 kg
<b>Dimensions</b>	91cm W x 152cm L

## Technical Information

### Certifications, Approvals and Ratings

ADA Compliant,NFSI Certified,ANSI B101.1- 2009

### Technical Documents

[PIG Adhesive-Backed Mats](#)

[The Complete Slip, Trip & Fall Risk Zone Audit](#)

[New Pig Adhesive-Backed Mat Notice](#)

[Instructions for PIG Grippy Mat Cleaning & Care Guide](#)

Instructions for PIG Grippy Mat Application, Cleaning and Care Guide

Technical Data Sheet for PIG® Adhesive-Backed Grippy Floor Mat

White Paper- Getting a Grip on Slips, Trips and Falls

White Paper- The Walk Zone Safety Report

29 CFR 1910.22(a)(2)



**New Pig**

World's best stuff for leaks, drips and spills.

**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)