

PIG® Spill Kit in 95-Gallon Wheeled Overpack Salvage Drum

KIT241 Each absorbs up to 60 gal., Absorbs Oils; Coolants; Solvents; Water; Universal, UN1H2/X113/S

Wheeled mobile overpack is strong enough to earn a UN rating for shipping spill cleanup waste.

- Overpack drum container is UN Rated for shipping waste after spill cleanup
- Lift-out, prepacked baskets speed access and guard contents from UV
- PIG Blue Socks stop spreading spills; PIG Mat and Pillows absorb; wipers clean surfaces and hands
- Temporary disposal bags help make cleanup easier
- Overpack is X-rated in Packing Groups I, II and III for shipping spill cleanup waste by land, sea or rail
- Lightweight polyethylene container resists chemicals and keeps contents clean and dry
- Leakproof, twist-on lid is notched for easy removal or tightening with a 2x4 or pole
- Bold "Spill Kit" lettering for quick identification
- Ledges molded into container make kit easy to move by forklift
- Tamperproof seals help prevent pilfering of spill response supplies
- Note: A PIG Overpack Protection Cover (available separately) is suggested for outdoor storage to protect container from UV degradation and weathering
- Only PIG Spill Kits feature PIG Absorbents - the world's #1 selling brand
- For information on custom spill kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Item#	Description	Dimensions	Weight
KIT241-WH		ext. dia. 31.4" x 47.25" H	150 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
KIT241-WH		ext. dia. 80cm x 120cm H	68 kg

Specifications

Absorbency Range	50 - 99.9 gal.
Dimensions	ext. dia. 31.4" x 47.25" H
Absorbency	Up to 60 gal.
Brand	PIG
Caster/Wheel Included	Included
Caster/Wheel Quantity	2
Caster/Wheel Type	(2) 6" Polyolefin Wheels
Container Type	Overpack
Fluid Absorbed	Oils; Coolants; Solvents; Water; Universal
High Visibility	No
See-Through	No
Special Feature	Mobile Spill Kit
UV Resistant	Yes
Sold as	1 each
Weight	150 lbs.

Composition	Container: Polyethylene (MDPE) Mats: Polypropylene Pillows: Polypropylene, Cellulose Socks: Magnesium aluminosilicate
Includes	16 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 10 - ext. dia. 3" x 10' L PIG® Blue Absorbent Sock (PIG202) 60 - 15" W x 20" L PIG® Absorbent Mat Pad (MAT203) 8 - 17" W x 21" L x 2" H PIG® Absorbent Pillow (PIL201) 56 - 11.8" W x 13" L PIG® PR40 All-Purpose Wipers (WIP310) 6 - 2" W x 6" L Tamperproof Seal Label (LBL100) 10 - 36" W x 60" H Polyethylene Disposal Bags (BAG201-L) 1 - Instructions 1 - ext. dia. 31.4" x 47.5" H PIG® Wheeled Overpack Salvage Drum (PAK710-WH)

UNSPSC	47131905
Pigalog® Page Number	<u>Page 77</u>

Metric Equivalent

Absorbency	Up to 227.1 L
Weight	68 kg
Dimensions	ext. dia. 80cm x 120cm H

Technical Information

Certifications, Approvals and Ratings	
UN1H2/X113/S	

Technical Documents

[Chemical Compatibility for LDPE Products](#)

[PIG Spill Kits](#)

[PIG Universal Absorbent Mats](#)

[Instructions for PIG Spill Kits](#)

[White paper – Slip & Fall Prevention Secrets](#)

[Technical Data Sheet for PIG® Universal Absorbent Mats](#)

[Technical Data Sheet for PIG® BLUE Absorbent Sock](#)

[Technical Data Sheet for PIG® Super Absorbent Sock & Pillow](#)

[29 CFR 1910.120\(j\)\(1\)\(vii\)](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

[49 CFR 173.3\(c\)\(1\)](#)



New Pig

World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com