







PIG® HazMat Spill Kit in 20-Gallon Overpack Salvage Drum

KIT311 Each absorbs up to 11 gal., Absorbs Acids; Bases; Unknowns, UN1H2/X46/S

Strong enough to earn a UN rating for shipping chemical spill cleanup waste.

- Comply with Spill Plan regs, avoid fines and be ready to respond with the #1 kit for chemical spills
- Overpack drum container is UN Rated for shipping waste after spill cleanup
- Neatly prepacked container speeds access during a spill emergency
- PIG HazMat Socks stop spreading spills; PIG HazMat Pads and Pillows absorb quickly
- PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide
- Overpack is X-rated in Packing Groups I, II and III for shipping spill cleanup waste by land, sea or rail
- Lightweight, polypropylene container resists chemicals and keeps contents clean and dry
- Two broom holes 180-degrees opposite each other on the lid allow 100% positive leverage for easy opening and closing with a broom handle or bar
- Bold "Spill Kit" lettering for quick identification
- Ledges molded into container make kit easy to move by forklift; foot hold in the drum base allows you to hold the drum securely in position while opening or closing the lid
- Apply a tamperproof seal to alignment holes on lid and drum to ensure contents aren't disturbed
- Features enhanced lid and base design for added strength and security for stacking or if the drum is accidentally dropped
- Note: A PIG Overpack Protection Cover (available separately) is suggested for outdoor storage to protect container from UV degradation and weathering
- Only PIG Spill Kits feature PIG HazMat Absorbents that handle highly concentrated corrosives better than any other absorbent on the market
- For information on custom spill kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Specifications

Absorbency Range	10 - 19.9 gal.
Dimensions	ext. dia. 23" x 19" H
Absorbency	Up to 11 gal.
Brand	PIG
Caster/Wheel Included	Not Applicable
Container Type	Overpack
Color	White
Fluid Absorbed	Acids; Bases; Unknowns
High Visibility	No
See-Through	No
UV Resistant	Yes
Sold as	1 each
Weight	27.9 lbs.
# per Pallet	12
Composition	Container: Injection Molded Copolymer Polypropylene Mats, Socks and Pillows: Polypropylene
Includes	6 - ext. dia. 3" x 46" L PIG® HazMat Chemical Absorbent Sock (124CR) 6 - 15" W x 20" L PIG® HazMat Chemical Absorbent Mat Pad (MAT301) 5 - 17" W x 16" L x 2" H PIG® HazMat Chemical Absorbent Pillow (HR7015) 5 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S) 6 - 2" W x 6" L Tamperproof Seal Label (LBL100) 1 - ext. dia. 23" x 19" H PIG® Overpack Salvage Drum (PAK708-WH) 1 - Instructions
UNSPSC	47131905
Pigalog® Page Number	Page 106
Metric Equivalent	
Absorbency	Up to 41.6 L
Weight	
weight	12.7 kg

ext. dia. 58cm x 48cm H

Technical Information

Certifications, Approvals and Ratings

Dimensions

Technical Documents

Chemical Compatibility for LDPE Products

PIG Spill Kits

PIG Hazardous Chemical Absorbents

Instructions for Overpack Containers

Instructions for PIG Spill Kits

Technical Data Sheet for PIG® HazMat Absorbents

29 CFR 1910.120(j)(1)(vii)

40 CFR 263.30(a)

40 CFR 263.31

49 CFR 173.3(c)(1)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com