

PIG® Fuel Station Spill Kit in Bucket

KIT4000 Each absorbs up to 8.2 gal., Absorbs Oils; Fuels; Oil-Based Liquids (Not Water), UN1H2/Y40/S

Store this bucket kit at a fuel island and use the static-dissipative PIG Absorbents to safely clean up small-to-medium sized fuel spills.



- The only kits designed for fueling stations — tough, grime-hiding containers packed with absorbents specifically made for gasoline, diesel, jet fuel and kerosene
- Packed with absorbent, static-dissipative mats and socks that pass ANSI and MIL spec standards for static decay and surface resistivity
- Also contains PIG Loose Absorbent, PPE, caution tape and clean-up tools
- Absorbs and retains fuels and oil-based fluids without taking in a drop of water
- 12-gallon polyethylene bucket has easy-open, screw-on lid and is weatherproof and UV resistant
- Bucket is UN Rated 1H2/Y40/S for shipping waste after cleanup
- Opaque black bucket has reflective labeling for easy visibility at night, blends into most surroundings and hides grime from fueling operations
- Tamperproof seal shows when kit has been opened to help prevent pilfering of supplies
- Ideal for use anywhere there are fueling operations: marinas, garages, commercial facilities, military sites, airports, tanker terminals, construction sites, industrial facilities and remote operations
- Only PIG Spill Kits feature PIG Absorbents — the world's #1 selling brand
- For information on custom spill kits, call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Specifications

Dimensions	ext. dia. 16" x 21.125" H
Absorbency	Up to 8.2 gal.
Brand	PIG

Container Type	Bucket
Fluid Absorbed	Oils; Fuels; Oil-Based Liquids (Not Water)
High Visibility	No
Color	Black
See-Through	No
UV Resistant	Yes
Wheels	Not Applicable
Distributor Part Number	55ve12
Sold as	1 each
Weight	30 lbs.

# per Pallet	18
Composition	<p>Mats: Polypropylene Socks: Polypropylene Loose Absorbent: Cellulose Fiber, Kaolin Clay, Calcium Carbonate Intentionally Added Ingredients: Sodium Sulfate, Diethyl Pthalate, Estragole Bucket: Polyethylene</p>

Includes	<p>4 - ext. dia. 3" x 48" L PIG® Static-Dissipative Absorbent Sock (SKM700) 25 - 15" W x 20" L PIG® Stat-Mat® Absorbent Pad (MAT215) 4 - PIG® Dri Loose Absorbent in Spill Pouch (PLP220) 1 - Economy Goggle (GLS290-AF) 1 - 13" Nitrile Glove 1 - Apron 1 - Dustpan/Broom 5 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S) 1 - Caution Tape 1 - Instructions 1 - 12 Gal Bucket 6 - Tamperproof Seals (LBL101)</p>
-----------------	--

UNSPSC	47131905
---------------	----------

Pigalog® Page Number	<u>Page 107</u>
-----------------------------	---------------------------------

Metric Equivalent

Absorbency	Up to 31 L
Dimensions	ext. dia. 40.6cm x 53.7cm H
Weight	13.6 kg

Technical Information

Certifications, Approvals and Ratings

UN1H2/Y40/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to the European Union or Great Britain.

Technical Documents

SHOWA Gloves

PIG Spill Kits

Showa-Best Nitri Solve®

Instructions for PIG Fuel Station Kit in Bucket

Instructions for PIG Spill Kits

PIG® Oil-Only Absorbents

PIG® DRI Loose Absorbent

40 CFR 112.7

40 CFR 122.26



New Pig

World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com