













KIT4401 Each absorbs up to 20 gal., Absorbs Oils; Fuels; Oil-Based Liquids (Not Water)

Show up quickly to spilled oil with everything you need, easily accessible, in this oil-only high-visibility yellow spill kit on wheels.

- Clean spilled oil with this oil-only kit cart, prepacked with absorbents; includes instruction folder, cleanup bags and more; see Product Specifications tab for full list of included products
- Tip the spill cart back and roll through doorways with the narrow design, and over uneven surfaces on the 7-inch anti-snag wheels
- Handle medium or small oil spills with plenty of oil-absorption power; the spill cart's roomy interior fits 20 gallons-worth of oil-fighting products behind front-loading doors that can lock when not in use and open wide during spill response; exact caddy dimensions are approximate
- Rely on the high-visibility yellow color to stand out during storage and to caution others during a spill; store anywhere indoors





Specifications

op comoducino	
Absorbency Range	20 - 29.9 gal.
Dimensions	24.11" W x 23.5" D x 38.25" H
Absorbency	Up to 20 gal.
Brand	PIG
Caster/Wheel Included	Included
Caster/Wheel Quantity	2
Color	Yellow
Caster/Wheel Type	(2) 7" HDPE Wheels
Container Type	Cart
Fluid Absorbed	Oils; Fuels; Oil-Based Liquids (Not Water)
High Visibility	Yes
See-Through	No
UV Resistant	No

Sold as	1 each
Weight	63.3 lbs.
# per Pallet	4
Composition	Caddy: HDPE Mat Roll: Polypropylene Mat Pads: Polypropylene Goggles: Polycarbonate with Rubber Gloves: Nitrile Putty: Epoxy Resin
Includes	1 - 24.11" W x 23.5" D x 38.25" H PIG® Empty High-Visibility Caddy (PAK1968) 1 - 15" W x 90' L PIG® Oil-Only Absorbent Mat Roll (MAT14401) 5 - ext. dia. 3" x 48" L PIG® Skimmer Oil-Only Absorbent Sock (104PS) 45 - 10" W x 15" L PIG® Oil-Only Absorbent Mat Pad 1 - 7" L PIG® Multi-Purpose Epoxy Putty (2 year shelf life) (PTY201) 1 - Economy Goggle (GLS290-AF) 1 - Pair Nitrile Gloves (WPL587-11) 1 - Apron PE Coated 1 - Instructions 5 - Disposal bags 1 - Dia. 1" x 17.45" L Dowel Rod
Shelf Life	2 years
UNSPSC	47131905
Pigalog® Page Number	Page 98

Metric Equivalent

Absorbency	Up to 75.7 L
Weight	28.7 kg
Dimensions	61cm W x 60cm D x 97cm H

Technical Information

CountryNoShip

This product is subject to export restrictions and cannot be shipped to: Canada, European Union, Great Britain.

Technical Documents

PIG Putty

PIG Spill Kits

Instructions for PIG Spill Kits

Instructions for PIG Multi-Purpose Epoxy Putty

Technical Data Sheet for PIG® Oil Only Absorbents

PIG® Multi-Purpose Repair Putty

40 CFR 122.26



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447• newpig.com • hothogs@newpig.com