

PIG® Oil-Only Truck Spill Kit in Bucket

KIT631 Each absorbs up to 3.7 gal., Absorbs Oils; Fuels; Oil-Based Liquids (Not Water), UN1H2/Y30/S

Mount this weather-resistant spill kit on your truck's exterior (optional bracket, BKT1213, sold separately) to save space in your cab and compartments.



- Designed just for trucks! Packed with PIG Absorbents and essential spill supplies for cleaning up oil, gas and other vehicle fluids
- 6.5-gallon bucket kit is ideal for placement in truck beds and large external compartments on a truck or other vehicles
- Can be mounted to your truck's exterior using an aluminum Truck Mounting Bracket (BKT1213, sold separately); helps save floor space and secure bucket in place during transport
- Black color won't show road grime and helps protect contents from UV degradation
- Liners fit any standard 5-gallon bucket; use inside bucket or on their own to catch leaks and drips
- Bold "Spill Kit" lettering printed on label for quick identification
- Polyethylene bucket with gasketed screw-on lid can be used to ship or temporarily store used absorbents (UN Rating 1H2/Y30/S for Packing Groups II and III)
- Oil-only absorbents soak up small leaks and spills of motor oil, gasoline and other oil-based vehicle fluids - but not water
- Only PIG Spill Kits feature PIG Absorbents - the world's #1 selling brand
- For information on custom spill kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Specifications

Absorbency Range	1 - 9.9 gal.
Dimensions	ext. dia. 13.375" x 17.625" H
Absorbency	Up to 3.7 gal.
Brand	PIG

Caster/Wheel Included	Not Applicable
Container Type	Bucket
Color	Black
Fluid Absorbed	Oils; Fuels; Oil-Based Liquids (Not Water)
High Visibility	No
See-Through	No
Special Feature	Truck Spill Kit
UV Resistant	Yes
Sold as	1 each
Weight	16 lbs.
# per Pallet	27

Composition

Mats: Polypropylene
Socks Skin: Polypropylene
Socks Filler: Hydrophobic Cellulose
Loose Absorbent: Cellulose, Kaolin Clay, Calcium Carbonate
Intentionally Added Ingredients: Sodium Sulfate, Diethyl Pthalate, Estragole

Includes	<ul style="list-style-type: none"> 2 - ext. dia. 3" x 48" L PIG® Oil-Only Absorbent Sock (SKM210) 10 - 15" W x 20" L PIG® STAT-MAT® Absorbent Pad (MAT215) 2 - PIG® Dri Loose Absorbent in Spill Pouch (PLP220) 1 - ext. dia. 11.5" x 13" H Snap-Over LDPE Bucket Insert (GEN308) 1 - ext. dia. 3.25" x 1.75" H PIG® Plug-N-Seal® No-Freeze Patching Paste (2 year shelf life) (PTY237) 1 - Neoprene Glove 1 - Economy Goggle (GLS290-AF) 1 - Apron 2 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S) 1 - Lightstick 1 - Instructions 1 - 6.5-Gallon Plastic Bucket with Lid
-----------------	--

Shelf Life	2 years
UNSPSC	47131905

Metric Equivalent

Absorbency	Up to 14 L
Weight	7.3 kg
Dimensions	ext. dia. 34cm x 45cm H

Technical Information

CountryNoShip	
----------------------	--

This product is subject to export restrictions and cannot be shipped to the European Union or Great Britain.

UN1H2/Y30/S

Technical Documents

SHOWA ChemMaster™ Neoprene Gloves

Chemical Compatibility Guide for Safety Zone Gloves

PIG Spill Kits

Plug-N-Seal® Patching Paste

Instructions for PIG Spill Kits

Technical Data Sheet for PIG® Oil Only Absorbents

Technical Data Sheet for PIG® Plug-N-Seal Patching Paste

Technical Data Sheet for PIG® Dri Loose Absorbent

29 CFR 1910.120(j)(1)(vii)

40 CFR 263.30(a)

40 CFR 263.31



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com