



PIG® Absorbent Combo Spill Kit in 32-Gallon High-Visibility Economy © Container

KIT721 Each absorbs up to 26 gal., Absorbs Oils; Coolants; Solvents; Water; Universal

Stay ready to clean up large spills of various types of liquid with this high-capacity spill kit that holds universal and anti-stat oil-only absorbents, PPE and more, all in a quick-access container.

- Kit contains everything you need to confine and soak up large spills, plus protection and disposal supplies; see Specifications for exact contents and amounts
- White mat pads feature anti-static properties and absorb oil, fuels and oil-based liquids but not water
- Gray absorbents soak up oils, coolants, solvents and water
- 26 gal of absorbency; 32 gal container
- Liners fit any standard 5-gallon bucket; use inside bucket or on their own to catch leaks and drips
- Bright yellow container is easy to locate during a spill emergency; non-threaded lid lifts off for fast, easy access
- Lightweight 100% polyethylene container resists chemicals and keeps contents clean and dry; molded-in handles for easy carrying
- Tamperproof seal helps prevent pilfering of spill response supplies



Specifications

| Absorbency Range | 20 - 29.9 gal. |
|-----------------------|--|
| Dimensions | ext. dia. 21.75" x 27.375" H |
| Absorbency | Up to 26 gal. |
| Brand | PIG |
| Caster/Wheel Included | Not Applicable |
| Container Type | Can |
| Color | Hi-Viz Yellow |
| Fluid Absorbed | Oils; Coolants; Solvents; Water; Universal |
| High Visibility | Yes |

| Special Feature Mixed Application Spill Kit UV Resistant No Sold as 1 each Waight 41 lbs. # per Pallet 4 Composition Socks: Polypropylene Socks: Polypropylene Socks: Polypropylene Socks: Polypropylene Socks: Polypropylene For X201 PIGGe Start Mate: Alex Octower Sock (Adva) 1 - ext. dia. 35 v X201 PIGGe Start Mate: Alex Octower Sock (Adva) 1 - ext. dia. 35 v X201 PIGGe Start Mate: Alex Octower Sock (Adva) 2 - 15" W X 201 PIGGe Start Mate: Alex Octower Sock (Adva) 2 - 14" - STOW Adva Alex Description Fock (Adva) 1 - ext. dia. 35 v X201 1 - ext. dia. 35 v X201 PIGGe Start Mate: Alex Octower Sock (Adva) 2 - 14" - STOW Adva Alex Description Fock (Adva) 2 - ext. dia. 15 v X 301 2 - ext. dia. 11.5 v X101 Socker Polypropylene Socker Polypropylene 2 - ext. dia. 11.5 v X101 1 - 22-Galon Plastic Container with Lid 2 - ext. dia. 11.5 v X101 Socher Life 2 - ext. dia. 15.5 v X100 + I UNSPSC V1131805 2 - ext. dia. 15.5 v X100 + I Socher Life | See-Through | No |
|--|---|--|
| Sold as 1 each Weight 41 lbs. # per Pailet 4 Composition Socks: Polypropylene Socks: Polypropylene Socks: Polypropylene Includes Sock: Tolypropylene Socks: Polypropylene Socks: Polypropylene Includes Sock: Tolypropylene Socks: Polypropylene Socks: Polypropylene United: Sock: Tolypropylene Sock: Tolypropylene Sock day: Tolypolypropylene Sock: Tolypropylene Socket UNSPSC: Corns: Socket UNSPSC: Containe: Twhoreside day (BEC) | Special Feature | Mixed Application Spill Kit |
| Weight 41 lbs. # per Pailet 4 Composition Container: Polypropylene and Vermiculite Mais: Polypropylene and Vermiculite Socks: Polypropylene and Vermiculite Mais: Polypropylene and Vermiculite Sheft Life Sheft Life 2 years UNSPSC 47131905 Metric Equivalent 2 years Absorbency Up to 98.4 L Weight 18.8 kg Piechnical Information 2 sears Technical Information 2 sears Piel Spill Kits Piel Absorbent Mats Piel Spill Kits Piel Absorbent Mats | UV Resistant | No |
| # per Pailet 4 Composition Socks: Polypropylene Socks: Polypropylene Mats: Polypropylene Mats: Polypropylene Socks: Polypropylene Includes \$50 - 15" W x 20" L PIG® Absorbent Mat Pad (MAT203) \$50 - 15" W x 20" L PIG® Absorbent Sock (4048) 1 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 1 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 1 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 1 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 1 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 1 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 1 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 2 - 13" M Reoprene Gloves (GLV213-xL) 2 - 13" L SHOWA Chem Master [™] Neoprene Gloves (GLV213-XL) 2 - Economy Gogle (GLS280-AF) 2 - PE Coated Apron 3 - 6" x" W x 6" L Tamperport Seal Label (LBL100) 1 - Combo Spill Kit Instruction Sheet 1 - 32-Gallon Plastic Container with Lid Shelf Life 2 years UNSPSC 47131905 Metric Equivalent 4 Absorbency Up to 98.4 L Weight 18.6 kg Dimensions ext. dia. 55cm x 70cm H Technical Information FG-Spill Kits PIG Spill Kits PIG Spill Kit PIG Spill Kits PIG Spill Kit PIG Soll Absorbent for PIG@ Dil Only Absorbent Sock SCRUBS Wiper 40 CFR 112.7 UP to 71.2.7 | Sold as | 1 each |
| Composition Container: Polypropylene Socks: Polypropylene and Vermiculite Mats: Polypropylene Mats: Polypropylene Socks: Polypropylene Sock: Polypropylene Polypropylene Polypropylene Mats: Polypropylene Sock: Polypropylene Sock: Polypropylene Sock: Polypropylene Polypropylene Sock: Polypropylene Sock: Polypropylene Sock: Polypropylene Mats: Polypropylene Sock: Polypropylene Sock: Polypropylene Sock: Polypropylene Sock: Polypropylene <td>Weight</td> <td>41 lbs.</td> | Weight | 41 lbs. |
| Composition Socks: Polypropylene and Verniculite Mats: Polypropylene Mats: Polypropylene Includes 50 - 15' W x 20' L PIG® SlavMat® Absorbent Pad (MAT203) 50 - 15' W x 20'' L PIG® SlavMat® Absorbent Sock (4048) 1 - ext. dia. 35' x 25'' H PIG® Plug N-Seal® No-Freeze Patching Paste (PTV223) 2 - 13'' L SHOWA Chem Master TM Neoprene Gloves (GLV213-XL) 2 - Economy Goggia (GLS230-AF) 2 - ECONOM | # per Pallet | 4 |
| Includes50 - 15" W x 20" L PIG® Stat-Mat® Absorbent Sock (4048) 6 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 1 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 1 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 2 - etc. dia. 3.5" x 2.5" H PIG® Plug-N-Seal® No-Freeze Patching Paste (PTY223) 2 - 13" L SHOWA Chem Master™ Neoprene Gloves (GLV213-XL) 2 - Economy Goggle (GLS290-AF) 2 - 2E Conted Apron 3 - 8" x 12" Premoistened Hand Wipe 5 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S) 2 - ext. dia. 11.5" x 13" H Snap-Over LDPE Bucket Insert (GEN308) 6 - 2" W x 6" L Tamperproof Seal Label (LBL100) 1 - Combo Spill Kit Instruction Sheet 1 - 32-Gallon Plastic Container with LidShelf Life2 yearsUNSPSC47131905Metric Equivalent2 yearsVelight18.6 kgDimensionsext. dia. 55cm x 70cm HTechnical Information- st. 4 is. 55cm x 70cm HPIG Spill Kits- St St. | Composition | Socks: Polypropylene and Vermiculite |
| UNSPSC47131905Metric EquivalentAbsorbencyUp to 98.4 LWeight18.6 kgDimensionsext. dia. 55cm x 70cm HTechnical InformationTechnical InformationPIG Spill KitsPIG Spill KitsPIG Universal Absorbent MatsInstructions for PIG Absorbent Combo Spill KitTechnical Data Sheet for PIG® Oil Only AbsorbentsTechnical Data Sheet for PIG® BLUE Absorbent SockSCRUBS Wiper40 CFR 112.7 | Includes | 50 - 15" W x 20" L PIG® Stat-Mat® Absorbent Pad (MAT214) 6 - ext. dia. 3" x 48" L PIG® Blue Absorbent Sock (4048) 1 - ext. dia. 3.5" x 2.5" H PIG® Plug-N-Seal® No-Freeze Patching Paste (PTY223) 2 - 13" L SHOWA Chem Master™ Neoprene Gloves (GLV213-XL) 2 - Economy Goggle (GLS290-AF) 2 - PE Coated Apron 3 - 8" x 12" Premoistened Hand Wipe 5 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S) 2 - ext. dia. 11.5" x 13" H Snap-Over LDPE Bucket Insert (GEN308) 6 - 2" W x 6" L Tamperproof Seal Label (LBL100) 1 - Combo Spill Kit Instruction Sheet |
| Metric EquivalentAbsorbencyUp to 98.4 LWeight18.6 kgDimensionsext. dia. 55cm x 70cm HTechnical InformationTechnical InformationTechnical DocumentsFIG Spill KitsPIG Spill Kits | Shelf Life | 2 years |
| AbsorbencyUp to 98.4 LWeight18.6 kgDimensionsext. dia. 55cm x 70cm HTechnical Information | UNSPSC | 47131905 |
| Weight18.6 kgDimensionsext. dia. 55cm x 70cm HTechnical InformationFig. Spill KitsPIG Spill KitsFig. Spill KitsPIG Universal Absorbent MatsSig. Spill KitsInstructions for PIG Absorbent Combo Spill KitSig. Spill KitsTechnical Data Sheet for PIG® Oil Only AbsorbentsSig. Spill KitsSCRUBS WiperSig. Spill Kits40 CFR 112.7Sig. Spill Kits | Metric Equivalent | |
| Dimensionsext. dia. 55cm x 70cm HTechnical InformationTechnical DocumentsPIG Spill KitsPIG Universal Absorbent MatsInstructions for PIG Absorbent Combo Spill KitTechnical Data Sheet for PIG® Oil Only AbsorbentsTechnical Data Sheet for PIG® BLUE Absorbent SockSCRUBS Wiper40 CFR 112.7 | Absorbency | Up to 98.4 L |
| Technical InformationTechnical DocumentsPIG Spill KitsPIG Universal Absorbent MatsInstructions for PIG Absorbent Combo Spill KitTechnical Data Sheet for PIG® Oil Only AbsorbentsTechnical Data Sheet for PIG® BLUE Absorbent SockSCRUBS Wiper40 CFR 112.7 | Weight | 18.6 kg |
| Technical DocumentsPIG Spill KitsPIG Universal Absorbent MatsInstructions for PIG Absorbent Combo Spill KitTechnical Data Sheet for PIG® Oil Only AbsorbentsTechnical Data Sheet for PIG® BLUE Absorbent SockSCRUBS Wiper40 CFR 112.7 | Dimensions | ext. dia. 55cm x 70cm H |
| PIG Spill Kits PIG Universal Absorbent Mats Instructions for PIG Absorbent Combo Spill Kit Technical Data Sheet for PIG® Oil Only Absorbents Technical Data Sheet for PIG® BLUE Absorbent Sock SCRUBS Wiper 40 CFR 112.7 | Technical Information | |
| PIG Universal Absorbent Mats Instructions for PIG Absorbent Combo Spill Kit Technical Data Sheet for PIG® Oil Only Absorbents Technical Data Sheet for PIG® BLUE Absorbent Sock SCRUBS Wiper 40 CFR 112.7 | Technical Documents | |
| Instructions for PIG Absorbent Combo Spill Kit Technical Data Sheet for PIG® Oil Only Absorbents Technical Data Sheet for PIG® BLUE Absorbent Sock SCRUBS Wiper 40 CFR 112.7 | PIG Spill Kits | |
| Technical Data Sheet for PIG® Oil Only Absorbents Technical Data Sheet for PIG® BLUE Absorbent Sock SCRUBS Wiper 40 CFR 112.7 | PIG Universal Absorbent Mats | |
| Technical Data Sheet for PIG® BLUE Absorbent Sock SCRUBS Wiper 40 CFR 112.7 | Instructions for PIG Absorbent Combo Spill Kit | |
| SCRUBS Wiper 40 CFR 112.7 | Technical Data Sheet for PIG® Oil Only Absorbents | |
| 40 CFR 112.7 | Technical Data Sheet for PIG® BLUE Absorbent Sock | |
| | SCRUBS Wiper | |
| 40 CFR 122.26 | 40 CFR 112.7 | |
| | 40 CFR 122.26 | |



1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com