


# PIG® Gray Ham-O® Absorbent Mat Roll with Poly Backing

MAT132 Heavyweight, 31" x 150', 1 roll



Brings the fun to leak, drip and spill cleanup! Ham-O layer camouflages liquids and grime while it absorbs; poly backing prevents liquids from leaking through to surface underneath.

- Heavyweight rolls with poly backing prevent grease, oil and other liquids from reaching floors, counters or other surfaces; our most popular mat weight is ideal for absorbing leaks, drips or overspray in walkways and aisles and for soaking up big spills in large areas
- PIG-Printed Camouflage Mats are a fun way to absorb liquid and hide grime; Ham-O mats keep your workplace clean and your employees safe and happy
- Absorbed leaks and drips blend right in to camouflage top layer so mat appears clean
- Place over a spill with poly-back side up to reduce harmful, flammable or irritating vapors
- Walk all over it! Scuff-resistant camouflage layer stands up to foot traffic in aisles and walkways; resists rips, tears and abrasions from tools when used as a liner
- Use anywhere – line workbenches, counters and toolboxes, catch drips and overspray around machinery, clean up oil and grease in service pits and more!
- PIG Mat lasts 2x longer than competitive mats and won't rip, tear or fray even when saturated; liquids absorb quickly for faster, easier cleanups and safer workplaces
- Cuts easily with scissors or utility knife
- Absorbs most common industrial liquids - oils, coolants, solvents, water and more
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents



## Specifications

Dimensions

31" W x 150' L

|                                    |   |
|------------------------------------|---|
| <b>Mat Weight</b>                  | Heavyweight                                     |
| <b>Recycled Content</b>            | 25% or more Recycled Content                    |
| <b>Absorbency</b>                  | Up to 40.6 gal. per bag                         |
| <b>Absorbency per</b>              | Up to 40.6 gal. per roll                        |
| <b>Backing Material</b>            | Poly-Backed                                     |
| <b>Color</b>                       | Gray Ham-O                                      |
| <b>Brand</b>                       | PIG   |
| <b>Category</b>                    | Ham-O® Absorbent Mat                            |
| <b>Core Diameter</b>               | 1.5"  |
| <b>Floating</b>                    | No  |
| <b>Flammability Specifications</b> | Flame Resistant - Will melt and self-extinguish |
| <b>Fluid Absorbed</b>              | Oils; Coolants; Solvents; Water; Universal      |
| <b>Incinerable</b>                 | Yes   |
| <b>Indoor/Outdoor</b>              | Indoor Use                                      |
| <b>Perforated</b>                  | No  |
| <b>Reusable</b>                    | No  |
| <b>Special Feature</b>             | Camouflage Pattern; Poly-Backing                |
| <b>Static-Dissipative</b>          | No  |
| <b>Traffic</b>                     | Medium Foot Traffic                             |
| <b>UV Resistant</b>                | No  |
| <b>Wringable</b>                   | Yes   |
| <b>Distributor Part Number</b>     | 56620-420;30pz91;2422349;04088x30990            |
| <b>Sold as</b>                     | 1 roll per bag                                  |
| <b>Weight</b>                      | 42 lbs.   |
| <b># per Pallet</b>                | 12  |
| <b>Composition</b>                 | Polypropylene                                   |
| <b>UNSPSC</b>                      | 47131901  |
| <b>Pigalog® Page Number</b>        | <a href="#">Page 19</a>                         |

## Metric Equivalent

|                       |                        |
|-----------------------|------------------------|
| <b>Absorbency</b>     | Up to 153.7 L per bag  |
| <b>Absorbency per</b> | Up to 153.7 L per roll |
| <b>Dimensions</b>     | 78.7cm W x 46m L       |
| <b>Weight</b>         | 19.1 kg                |

## Technical Information

### Technical Documents

PIG® Universal Absorbents

29 CFR 1910.22(a)(2)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)