

## **PIG® Absorbent Mat Pad**

MAT172 Lightweight, 15" W x 20" L, 50 pads per box



PIG Mat lasts 2x longer than ordinary mats for fewer change-outs. It absorbs oils, coolants, solvents and water; just about any mess you need to clean up!

- Lasts 2X longer than ordinary mats for fewer change-outs; that's why more plants worldwide use PIG Mat than any other brand
- Multiple layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind
- Absorbs most common industrial liquids - oils, water, solvents, coolants and more
- Absorbed leaks and drips blend right in; dark gray color hides grime so mat stays on the job longer
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Pads are ideal for catching drips and soaking up spills
- Easy-tear perforations let you take only what you need so you use less mat and save money
- Light-weight construction is ideal for small tasks and cleanups
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents



### Specifications

|                  |                              |
|------------------|------------------------------|
| Absorbency Range | 1 - 9.9 gal.                 |
| Dimensions       | 15" W x 20" L                |
| Mat Weight       | Lightweight                  |
| Recycled Content | 25% or more Recycled Content |
| Absorbency       | Up to 5.5 gal. per box       |
| Absorbency per   | Up to 14.08 oz. per pad      |

|                             |   |
|-----------------------------|---|
| Color                       | Gray  |
| Brand                       | PIG   |
| Category                    | Universal Absorbent Mat                         |
| Flammability Specifications | Flame Resistant - Will melt and self-extinguish |
| Floating                    | No  |
| Fluid Absorbed              | Oils; Coolants; Solvents; Water; Universal      |
| Indoor/Outdoor              | Indoor Use                                      |
| Incinerable                 | Yes   |
| Perforated                  | Yes   |
| Perforated Pattern          | 10" x 15" sections                              |
| Reusable                    | No  |
| Static-Dissipative          | No  |
| Traffic                     | Not Recommended for Foot Traffic                |
| UV Resistant                | No  |
| Wringable                   | Yes   |
| Sold as                     | 50 pads per box                                 |
| Weight                      | 5 lbs.  |
| # per Pallet                | 60  |
| Composition                 | Polypropylene                                   |
| UNSPSC                      | 47131901  |
| Pigalog® Page Number        | <a href="#">Page 11</a>                         |

## Metric Equivalent

|                |                        |
|----------------|------------------------|
| Absorbency per | Up to 416.3 mL per pad |
| Absorbency     | Up to 20.8 L per box   |
| Weight         | 2.3 kg                 |
| Dimensions     | 38cm W x 51cm L        |

## Technical Information

### Technical Documents

[PIG Universal Absorbent Mats](#)

[White paper – Slip & Fall Prevention Secrets](#)

[Technical Data Sheet for PIG® Universal Absorbent Mats](#)

[29 CFR 1910.22\(a\)\(2\)](#)

