

PIG® Fat Mat® Absorbent Pad in Dispenser Box

MAT2101 Extremeweight, 16" x 20", 50 pads

16 thirsty layers of PIG Mat made for your biggest cleanups!



- 16 layers of 100% polypropylene are thermally bonded to form one super-absorbent mat capable of drinking up huge volumes of liquid
- Tough, spunbond top layer stands up to heavy foot traffic; won't rip, tear, fray or create a trip hazard, even when saturated
- Fast-wicking "diaper action" transfers liquids into the absorbent inner layers to keep moisture away from surface
- Absorbs most common industrial liquids - oils, water, solvents, coolants and more
- Gray color means absorbed leaks and drips blend right in
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Dispenser box makes it easy to take, carry and store your mat while protecting it from dirt and moisture
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Extreme heavyweight Fat Mat construction is ideal for applications that require long life and high capacity
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents



Specifications

Dimensions	16" W x 20" L
Mat Weight	Extremeweight
Recycled Content	25% or more Recycled Content
Absorbency	Up to 22 gal. per box
Absorbency per	Up to 56.32 oz. per pad
Brand	PIG
Color	Gray
Category	Fat Mat® Absorbent Mat

Floating	No
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils, Coolants, Solvents, Water – Universal
Incinerable	Yes
Indoor/Outdoor	Indoor Use
Perforated	Yes
Perforated Pattern	8" x 20" sections
Reusable	No
Static-Dissipative	No
Traffic	Not Recommended for Foot Traffic
UV Resistant	No
Wringable	Yes
Distributor Part Number	30py55;4267125;04088x70039
Sold as	50 pads per box
Weight	18 lbs.
# per Pallet	30
Composition	Polypropylene
UNSPSC	47131901

Metric Equivalent

Absorbency	Up to 83.3 L per box
Absorbency per	Up to 1.7 L per pad
Dimensions	40.6cm W x 50.8cm L
Weight	8.2 kg

Technical Information

Technical Documents

[PIG Universal Absorbent Mats](#)

[PIG® Universal Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

