

## PIG® Stat-Mat® Absorbent Pad

MAT215 Lightweight, 15" x 20", 200 pads per bag

Clean up spilled fuels and solvents with the only pads proven to dissipate static.



- The best mat you can buy to reduce the risk of electrostatic discharge; a critical precaution around flammable liquids and vapors
- Stat-Mat Pads and Rolls pass ANSI and MIL spec standards for static decay and surface resistivity, making them perfect for fueling areas and solvent cleanup
- Absorbs and retains oils and fuels - including acetone, benzene, gasoline, toluene, xylene, mineral spirits and jet fuels - but not water
- Lasts 2X longer than ordinary mats for fewer change-outs; Multiple layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind oil or fiber residue
- Packaged in special static-dissipative bags to help reduce static charge buildup
- Floats to clean up spills on water
- White color tells you it's only for oils and fuels
- Pads are ideal for catching drips and soaking up spills
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Light-weight construction is economical for small tasks and cleanups
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents



### Specifications

Dimensions	15" W x 20" L
Mat Weight	Lightweight
Absorbency	Up to 22 gal. per bag
Absorbency per	Up to 14.08 oz. per pad
Brand	PIG

Category	Static-Dissipative Mat
Color	White
Floating	Yes
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils; Fuels; Oil-Based Liquids (Not Water)
Incinerable	Yes
Indoor/Outdoor	Indoor Use; Short-Term Outdoor Use
Perforated	Yes
Perforated Pattern	10" x 15" sections
Reusable	No
Static-Dissipative	Yes
Traffic	Not Recommended for Foot Traffic
UV Resistant	No
Wringable	No
Distributor Part Number	56620-574;30ra45;2422365;04088x31075
Sold as	200 pads per bag
Weight	17 lbs.
# per Pallet	30
Composition	Polypropylene
UNSPSC	47131901
Pigalog® Page Number	<a href="#">Page 45</a>

## Metric Equivalent

Absorbency	Up to 83.3 L per bag
Absorbency per	Up to 416.3 mL per pad
Dimensions	38.1cm W x 50.8cm L
Weight	7.7 kg

## Technical Information

### Certifications, Approvals and Ratings

ANSI/ESD STM11.11,MIL-STD-3010C

### Technical Documents

[PIG® Oil-Only Absorbents](#)

[29 CFR 1910.106\(h\)\(7\(i\)\(a\)\)](#)

[29 CFR 1910.22\(a\)\(2\)](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

