

## PIG® Rip-&-Fit® Absorbent Mat Roll

MAT243 Heavyweight, 15" x 150', 1 roll



Extra perforations let you customize PIG Mat to the shape you need. Just "rip" it along the easy-tear perfs and "fit" it into place.

- No job is too big for our heavyweight rolls; our most popular mat weight is ideal for shelves, ledges and drips in tight or awkward spaces that require custom mat sizes
- Extra perforations let you easily "rip" this PIG Mat and "fit" it to your spill without cutting; use only what you need and waste less
- Custom to your application; create long, narrow strips to fit into tight spaces or bigger sheets for around machinery
- Perforated every 3.75" across width and every 10" across length
- PIG Mat lasts 2x longer than competitive mats and won't rip, tear or fray even when saturated; liquids absorb quickly for faster, easier cleanups and safer workplaces
- Absorbs most common industrial liquids - oils, coolants, solvents, water and more
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents



### Specifications

|                             |   |
|-----------------------------|---|
| Dimensions                  | 15" W x 150' L                                  |
| Mat Weight                  | Heavyweight                                     |
| Recycled Content            | 25% or more Recycled Content                    |
| Absorbency                  | Up to 19.6 gal. per bag                         |
| Absorbency per              | Up to 19.6 gal. per roll                        |
| Brand                       | PIG   |
| Color                       | Gray  |
| Category                    | Rip-&-Fit® Absorbent Mat                        |
| Core Diameter               | 1.5"  |
| Floating                    | No  |
| Flammability Specifications | Flame Resistant - Will melt and self-extinguish |

|                                |  |
|--------------------------------|--|
| <b>Fluid Absorbed</b>          | Oils; Coolants; Solvents; Water; Universal |
| <b>Incinerable</b>             | Yes  |
| <b>Indoor/Outdoor</b>          | Indoor Use                                 |
| <b>Perforated</b>              | Yes  |
| <b>Perforated Pattern</b>      | 3.75" x 10" sections                       |
| <b>Reusable</b>                | No   |
| <b>Static-Dissipative</b>      | No   |
| <b>Traffic</b>                 | Not Recommended for Foot Traffic           |
| <b>UV Resistant</b>            | No   |
| <b>Wringable</b>               | Yes  |
| <b>Competitor Part Number</b>  | gpf20s                                     |
| <b>Distributor Part Number</b> | 30py62;2422388;04088x31185                 |
| <b>Sold as</b>                 | 1 roll per bag                             |
| <b>Weight</b>                  | 16 lbs.                                    |
| <b># per Pallet</b>            | 32   |
| <b>Composition</b>             | Polypropylene                              |
| <b>UNSPSC</b>                  | 47131901                                   |
| <b>Pigalog® Page Number</b>    | <a href="#">Page 14</a>                    |

## Metric Equivalent

|                       |                       |
|-----------------------|-----------------------|
| <b>Absorbency</b>     | Up to 74.2 L per bag  |
| <b>Absorbency per</b> | Up to 74.2 L per roll |
| <b>Dimensions</b>     | 38.1cm W x 46m L      |
| <b>Weight</b>         | 7.3 kg                |

## Technical Information

### Technical Documents

[PIG Universal Absorbent Mats](#)

[PIG® Universal Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)

