



## PIG® Absorbent Mat Roll with Poly Backing

MAT283 Heavyweight, 31" x 75', 1 roll per bag

PIG Mat lasts 2x longer than ordinary mats for fewer change-outs. Absorbs everything. Works everywhere.

- Lasts 2X longer than ordinary mats for fewer change-outs, absorbs everything, works everywhere; that's why more plants worldwide use PIG Mat than any other brand
- Multiple layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind
- Absorbs most common industrial liquids - oils, water, solvents, coolants and more
- Absorbed leaks and drips blend right in; dark gray color hides grime so mat stays on the job longer
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Poly backing prevents absorbed liquids from reaching floors, counters or other surfaces
- Place over a spill with poly-back side up to suppress potentially harmful, flammable or irritating vapors
- Rolls are ideal as a work surface for repairs or maintenance - poly backing prevents grease and oil from seeping through
- Heavy-weight construction delivers greater durability and absorbency for demanding tasks and large-volume cleanups
- Mats take on the properties of absorbed liquids - always take proper precautions when handling saturated absorbents



### Specifications

Dimensions	31" W x 75' L
Mat Weight	Heavyweight
Recycled Content	25% or more Recycled Content

<b>Absorbency</b>	Up to 20.5 gal. per bag
<b>Absorbency per</b>	Up to 20.5 gal. per roll
<b>Backing Material</b>	Poly-Backed
<b>Color</b>	Gray
<b>Brand</b>	PIG
<b>Category</b>	PIG® Absorbent Mat
<b>Core Diameter</b>	1.5"
<b>Floating</b>	No
<b>Flammability Specifications</b>	Flame Resistant - Will melt and self-extinguish
<b>Fluid Absorbed</b>	Oils; Coolants; Solvents; Water; Universal
<b>Incinerable</b>	Yes
<b>Indoor/Outdoor</b>	Indoor Use
<b>Perforated</b>	No
<b>Reusable</b>	No
<b>Special Feature</b>	Poly-Backing
<b>Static-Dissipative</b>	No
<b>Traffic</b>	Light Foot Traffic
<b>UV Resistant</b>	No
<b>Wringable</b>	Yes
<b>Distributor Part Number</b>	30py68;2422419;04088x31340
<b>Sold as</b>	1 roll per bag
<b>Weight</b>	19 lbs.
<b>NSN (National Stock Number)</b>	7930-01-461-9148
<b># per Pallet</b>	40
<b>Composition</b>	Polypropylene
<b>UNSPSC</b>	47131901
<b>Pigalog® Page Number</b>	<a href="#">Page 13</a>

## Metric Equivalent

<b>Absorbency</b>	Up to 77.6 L per bag
<b>Absorbency per</b>	Up to 77.6 L per roll
<b>Dimensions</b>	78.7cm W x 23m L
<b>Weight</b>	8.6 kg

## Technical Information

### Technical Documents

[PIG Universal Absorbent Mats](#)

[White paper – Slip & Fall Prevention Secrets](#)

PIG® Universal Absorbents

29 CFR 1910.22(a)(2)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)