



















MAT303 Heavyweight,15" W x 150' L,1 roll per bag

Safely soak up acids, bases, corrosives and hazardous chemical spills with our HazMat absorbent mat roll.

- Clean up big leaks and drips of hazardous liquids on workbenches, counters and shelves with our narrow heavyweight mat rolls
- Soaks up the widest range of acids, bases, corrosives, chemicals and unknown liquids even those with high concentrations like 98% sulfuric acid and 30% sodium hydroxide
- Absorbs a wide range of hazardous liquids found in chemical storage areas, around dip tanks, in cleaning agents used in food processing plants, in boiler rooms, labs, and R&Ddepartments
- Pink color is designated for hazardous chemicals and easy to identify in a spill emergency or cleanup
- Chemical-resistant mat won't degrade or cause a dangerous reaction upon contact with corrosive spills
- PIG Mat lasts 2x longer than competitive mats and won't rip, tear or fray even when saturated; liquids absorb quickly for faster, easier cleanups and safer workplaces
- Mats take on the properties of absorbed liquids - always take proper precautions when handling saturated absorbents



Specifications

Absorbency Range	20 - 29.9 gal.		
Dimensions	15" W x 150' L		
Mat Weight	Heavyweight		
Absorbency	Up to 20.1 gal. per bag		
Absorbency per	Up to 20.1 gal. per roll		
Brand	PIG		
Color	Pink		

Category

HazMat Chemical Absorbent Mat

Core Diameter	1.5"		
Flammability Specifications	Flame Resistant - Will melt and self-extinguish		
Floating	No		
Fluid Absorbed	Acids; Bases; Unknowns		
Indoor/Outdoor	Indoor Use		
Incinerable	Yes		
Perforated	Yes		
Perforated Pattern	10" x 15" sections		
Reusable	No		
Static-Dissipative	No		
Traffic	Light Foot Traffic		
UV Resistant	No		
Wringable	No		
Sold as	1 roll per bag		
Weight	16 lbs.		
# per Pallet	24		
Composition	Polypropylene		
UNSPSC	47131901		
Pigalog® Page Number	Page 67		

Metric Equivalent

Absorbency per	Up to 76.1 L per roll
Absorbency	Up to 76.1 L per bag
Weight	7.3 kg
Dimensions	38cm W x 46m L

Technical Information

Technical Documents

PIG Hazardous Chemical Absorbents

Technical Data Sheet for PIG® HazMat Absorbents

29 CFR 1910.22(a)(2)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com