

PIG® Grippy® Adhesive-Backed Absorbent Mat

MAT32100 Self-Sticking Absorbent Mat, 32" x 100', 1 roll



Stays put no matter what™! Sticks and stays down where other absorbent mats shift or slide around; perfect for workstations or around machinery in industrial facilities.

- Adhesive-backed absorbent mat stays exactly where you put it with no shifting, bunching up or flipping over to prevent slips, trips and falls in workstations and around machinery
- Proprietary adhesive sticks to the floor with a super-tight grip, but peels up easily for quick changeouts; reduces cleanup time to make your facility more productive
- Sticks to most commercial floor surfaces including concrete, VCT, linoleum, ceramic tile, quarry tile and laminate flooring
- Tough, spunbond top layer with heavy-duty zigzag stitching stands up to foot and light-wheeled traffic; keep mat in service until it's saturated or shows signs of wear
- Eight layers of fine-fiber polypropylene safely absorb leaks, drips and overspray of oils, coolants, solvents and water
- Traps oil, grease and grime to keep them from being tracked around
- 32" x 100' roll provides enough length to create continuous coverage and absorbency in oily areas near machines and equipment
- Leakproof backing prevents absorbed liquid from soaking through to the floor
- Dark color hides grime so the mat looks cleaner longer
- Easy to cut and install: just roll it out, stick it down and smooth it out
- Tested and Certified by the National Floor Safety Institute (NFSI): when used as part of your floor safety program, high-traction surfaces such as PIG Grippy Absorbent Mat have been proven to reduce slip-and-fall claims by as much as 90%
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents



Specifications

Style	Self-Sticking Absorbent Mat
Dimensions	32" W x 100' L
Mat Weight	Mediumweight
Recycled Content	25% or more Recycled Content
Absorbency	Up to 10.5 gal. per roll
Backing Material	Adhesive-Backed
Color	Blue
Brand	PIG
Category	Grippy® Absorbent Mat
Core Diameter	3"
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils, Coolants, Solvents, Water – Universal
Incinerable	Yes
Industry	Industrial Facilities; Shops & Garages; Automotive; Manufacturing
Indoor/Outdoor	Indoor Use
Perforated	No
Storage Temp Range	Store between 32°F and 120°F
Temperature Limit	Surface temps from 55°F to 120°F
Traffic	Light Foot Traffic
UV Resistant	No
Walking Surface	Absorbent Top
Competitor Part Number	40lp91
Distributor Part Number	589-8551;89212-352;30pz37;4823012;04088x00220
Sold as	1 roll
Weight	27 lbs.
# per Pallet	13
Composition	Absorbent - Polypropylene Stitching - Polyester Adhesive Backing - Proprietary Adhesive Material
UNSPSC	47131901
Pigalog® Page Number	Page 23

Metric Equivalent

Absorbency	Up to 39.7 L per roll
-------------------	-----------------------

Dimensions

81.3cm W x 30m L

Weight

12.2 kg

Technical Information**Certifications, Approvals and Ratings**

NFSI Certified,ANSI B101.1- 2009,ANSI/ESD STM11.11,MIL-STD-3010C

Technical Documents[PIG Grippy® Absorbent Mat](#)[Static Coefficient Of Friction \(SCOF\) Testing](#)[How to use PIG Grippy Absorbent Mat](#)[New Pig Adhesive-Backed Mat Notice](#)[PIG® Grippy® Absorbent Mats](#)[29 CFR 1910.22\(a\)\(2\)](#)**New Pig**

World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-03041-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com