

## **PIG® Stat-Mat® Absorbent Roll**

MAT402 Heavyweight, 30" x 150', 1 roll

The ONLY absorbent mat for fuels and solvents proven to dissipate static.



- The best mat you can buy to reduce the risk of electrostatic discharge; a critical precaution around flammable liquids and vapors
- Stat-Mat Pads and Rolls pass ANSI and MIL spec standards for static decay and surface resistivity, making them perfect for fueling areas and solvent cleanup
- Absorbs and retains oils and fuels - including acetone, benzene, gasoline, toluene, xylene, mineral spirits and jet fuels - but not water
- Lasts 2X longer than ordinary mats for fewer change-outs; Eight layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue
- Packaged in special static-dissipative bags to help reduce static charge buildup
- Floats to clean up spills on water
- White color tells you it's only for oils and fuels
- Rolls are ideal for covering large areas and soaking up leaks and overspray
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Heavy-weight construction is highly durable and absorbent for demanding tasks and large-volume cleanups
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents



### Specifications

Traffic	Not Recommended for Foot Traffic
Static-Dissipative	Yes
Indoor/Outdoor	Indoor Use; Short-Term Outdoor Use
Floating	Yes

<b>Perforated Pattern</b>	10" x 15" sections
<b>Reusable</b>	No
<b>Wringable</b>	No
<b>Incinerable</b>	Yes
<b>Flammability Specifications</b>	Flame Resistant - Will melt and self-extinguish
<b>Fluid Absorbed</b>	Oils, Fuels, Other Oil-Based Liquids Only
<b>Color</b>	White
<b>Dimensions</b>	30" W x 150' L
<b>Mat Weight</b>	Heavyweight
<b>Absorbency</b>	Up to 40.2 gal. per bag
<b>Absorbency per</b>	Up to 40.2 gal. per roll
<b>Brand</b>	PIG
<b>Category</b>	Static-Dissipative Mat
<b>Core Diameter</b>	1.5"
<b>Perforated</b>	Yes
<b>Sold as</b>	1 roll per bag
<b>Weight</b>	30 lbs.
<b># per Pallet</b>	12
<b>Composition</b>	Polypropylene
<b>UNSPSC</b>	47131901
<b>UV Resistant</b>	No
<b>Pigalog® Page Number</b>	<u><a href="#">Page 45</a></u>

## Metric Equivalent

<b>Absorbency per</b>	Up to 152.2 L per roll
<b>Absorbency</b>	Up to 152.2 L per bag
<b>Dimensions</b>	76.2cm W x 46m L
<b>Weight</b>	13.6 kg

## Technical Information

### Certifications, Approvals and Ratings

ANSI/ESD STM11.11,MIL-STD-3010C

### Technical Documents

[PIG® Oil-Only Absorbents](#)

[29 CFR 1910.106\(h\)\(7\(i\)\(a\)\)](#)

[29 CFR 1910.22\(a\)\(2\)](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

## Disclaimers

### Outdoor Use Notice

Intended for indoor use or short-term outdoor use only; not suited for extended exposure to direct sunlight.

### Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)