


# PIG® Absorbent Mat Roll in Dispenser Box

MAT4150 Heavyweight,4" W x 150' L,1 roll per box

Cover long, narrow ledges or tuck this mat close to coolers or freezers to capture condensation and contain drips.

- 4" x 150' rolls are ideal for covering long runs, narrow areas or placing in troughs; mat absorbs and retains leaks, condensation, and spills to stop them from spreading into walkways
- 100% polypropylene resists the growth of mildew, tearing and chemicals; reduces dust and holds in liquids, even when fully saturated
- Perforated every 10" so you can tear off as much as you need for the job
- Very effective and highly efficient for absorbing water; water-soaked mats can be air-dried and reused
- Also absorbs and retains oils, coolants, grease, gasoline, solvents, auto fluids, paint, battery acid and most other liquids
- Lasts 2X longer than ordinary mats for fewer changeouts
- Multiple layers of polypropylene are thermally bonded to make PIG Mat the strongest on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind
- Choose between dark gray color which hides grime so mat stays on the job longer or yellow, which is high-visibility for high traffic areas, and easier to see in poorly lit areas
- Mats take on the properties of absorbed liquids
   always take proper precautions when handling saturated absorbents





### Metric Equivalent:

Item#	Description	Dimensions	Weight
MAT4150-GY		10cm W x 46m L	2.1 kg
MAT4150-YW		10cm W x 46m L	2.1 kg
Specifications			
Absorbency Range		1 - 9.9 gal.	
Dimensions		4" W x 150' L	
Mat Weight		Heavyweight	
Recycled Content		25% or more Recycled Conte	ent
Absorbency		Up to 5.4 gal. per box	
Absorbency per		Up to 5.4 gal. per roll	
Brand		PIG	
Category		Universal Absorbent Mat	
Core Diameter		1.5"	
Flammability Specifications		Flame Resistant - Will melt ar	nd self-extinguish
Floating		No	
Fluid Absorbed		Oils; Coolants; Solvents; Wat	er; Universal
Indoor/Outdoor		Indoor Use	
Incinerable		Yes	
Perforated		Yes	
Perforated Pattern		10" x 4" sections	
Reusable		No	
Static-Dissipative		No	
Traffic		Light Foot Traffic	
UV Resistant		No	
Wringable		Yes	
Sold as		1 roll per box	
Weight		4.6 lbs.	
# per Pallet		72	
Composition		Polypropylene	
UNSPSC		47131901	
Metric Equivalent			
Absorbency per		Up to 20.4 L per roll	
Absorbency		Up to 20.4 L per box	
Weight		2.1 kg	
Dimensions		10cm W x 46m L	
Technical Information			

# **Technical Documents**

#### PIG Universal Absorbent Mats

#### Technical Data Sheet for PIG® Universal Absorbent Mats

29 CFR 1910.22(a)(2)



## One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447• newpig.com • hothogs@newpig.com