

## PIG® Oil-Only Absorbent Mat Roll

MAT441 Lightweight, 15" x 300', 2 rolls per bag

Lasts 2x longer than ordinary mats for fewer change-outs, while only absorbing oil and fuels, NOT water. Loves oil. Hates water.

- Our most cost-effective mat when you only need to absorb oil-based liquids
- Multiple layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind oil or fiber residue
- Absorbs oil and fuels, NOT water
- White color tells you it's only for oils and fuels; draws attention to machine leaks and clearly shows saturation level during spill response
- Floats to clean up spills on water
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Rolls are ideal for covering large areas and soaking up leaks and overspray
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Light-weight construction is economical for small tasks and cleanups
- Mats take on the properties of absorbed liquids
  - always take proper precautions when handling saturated absorbents



### Specifications

<b>Dimensions</b>	15" W x 300' L
<b>Mat Weight</b>	Lightweight
<b>Absorbency</b>	Up to 41 gal. per bag
<b>Absorbency per</b>	Up to 20.5 gal. per roll
<b>Brand</b>	PIG
<b>Category</b>	Oil-Only Absorbent Mat
<b>Color</b>	White
<b>Core Diameter</b>	1.5"

<b>Flammability Specifications</b>	Flame Resistant - Will melt and self-extinguish
<b>Floating</b>	Yes
<b>Fluid Absorbed</b>	Oils; Fuels; Oil-Based Liquids (Not Water)
<b>Indoor/Outdoor</b>	Indoor Use; Short-Term Outdoor Use
<b>Incinerable</b>	Yes
<b>Perforated</b>	Yes
<b>Perforated Pattern</b>	10" x 15" sections
<b>Reusable</b>	No
<b>Static-Dissipative</b>	No
<b>Traffic</b>	Light Foot Traffic
<b>UV Resistant</b>	No
<b>Wringable</b>	Yes
<b>Sold as</b>	2 rolls per bag
<b>Weight</b>	30 lbs.
<b># per Pallet</b>	12
<b>Composition</b>	Polypropylene
<b>UNSPSC</b>	47131901
<b>Pigalog® Page Number</b>	<a href="#">Page 43</a>

## Metric Equivalent

<b>Absorbency per</b>	Up to 77.6 L per roll
<b>Absorbency</b>	Up to 155.2 L per bag
<b>Weight</b>	13.6 kg
<b>Dimensions</b>	38cm W x 91m L

## Technical Information

### Technical Documents

[SPCC: 8 Things You Need to Know](#)

[PIG® Oil-Only Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)

