

PIG® Modular Poly IBC Spill Containment Pallet

PAK119 Holds (2) IBCs, 62.5" x 187" x 12.5", 280 gal. Sump Capacity

Modular system saves you money by sharing sump capacity. Store your IBCs in compliance with containment regulations.



- Flow-through connections let components share sump capacity to help you meet storage regulations; more economical than individual units
- Each heavy-duty pallet section supports 9,000 lb. UDL and accommodates almost any size IBC unit
- Pallet sections and tanks are 100% polyethylene to resist corrosion and most chemicals, including acids, solvents and oils
- Each pallet section features 4-way forklift pockets for easy moving
- Non-slip grates lift out for easy sump access
- Low profile allows easy loading and access
- Increase sump capacity by adding on an individual pallet section (PAK672)
- Includes specially designed tool kit for connecting components
- Each expansion tank features a hatch lid for easy access to collected liquid
- Includes four pairs of 2.25" diameter, flow-through bulkhead fittings that let you easily connect components



Item#	Description	Dimensions	Weight
PAK119-BK-WOD	Black, Without Drain	62.5" W x 187" L x 12.5" H	434 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
PAK119-BK-WOD	Black, Without Drain	158.8cm W x 4.7m L x 31.8cm H	196.9 kg

Specifications

Holds	(2) IBCs
Dimensions	62.5" W x 187" L x 12.5" H
Recycled Content	40% Post-Industrial Recycled Polyethylene

Load Capacity UDL	18000 lbs.
Sump Capacity	280 gal.
Brand	PIG
Double-Stackable Unit	No
Drain	None
Fork Truck Access	No Fork Truck Access
Grates	(4) 52" L x 26" W Grates
Use With Flammables	No
Sold as	1 each
Weight	434 lbs.
New Pig Patent	5,562,047; Foreign Patents
Composition	Sump - Polyethylene (LDPE) w/ UV Inhibitor Grates - Polyethylene (HDPE) Bulkhead Fittings - Polypropylene Gaskets - EPDM & Polypropylene
Includes	2 - 61" L x 31" W x 12.5" H Expansion Tank 2 - 62.5" L x 62.5" W x 8.75" H Pallet (PAK672-BK-WOD) 1 - Tool Kit 4 - 2.25" Bulkhead Fittings (2/pack) (PAK118)
UNSPSC	24101905
Pigalog® Page Number	<u>Page 386</u>

Metric Equivalent

Dimensions	158.8cm W x 4.7m L x 31.8cm H
Load Capacity UDL	8164.8 kg
Sump Capacity	1059.8 L
Weight	196.9 kg

Technical Information

Technical Documents

[LDPE Products](#)

[Instructions for Expansion Tank Assembly](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

[40 CFR 264.175](#)

Disclaimers

[Flammables Notice](#)

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

Assembly Required



New Pig

World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com