

PIG® Poly Modular Spill Deck

PAK529 Holds (2) 55 gal. Plastic or Steel Drums, 26" x 52" x 5.75", 22 gal. Sump Capacity

Connectable, shared-sump decks let you build up to your required sump capacity to help meet containment regs.



- Patented "flow-through" sump design lets liquid pass freely from one sump to another to help you comply with containment regulations
- Modular design features exclusive bulkhead fittings and predrilled ports to connect to other decks; ready to use as soon as they arrive
- Mix and match the sections you need to fit your space and help meet sump capacity requirements
- Special tools and hardware to connect sections is included with each system
- Low-profile 5.75"H design is easy to load or unload; pumps and funnels are easy to access
- Molded-in sump catches leaks, drips and spills to help keep your storage areas clean and safe
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- Translucent white sidewalls allow easy visual inspection
- We test all of our Containment Pallet designs at max load for months to ensure they can handle full capacity at your facility



Specifications

Holds	(2) 55 gal. Plastic or Steel Drums
Color	Black/White
Dimensions	26" W x 52" L x 5.75" H
Recycled Content	43% Post-Industrial Recycled Polyethylene
Load Capacity UDL	3000 lbs.
Sump Capacity	22 gal.
Brand	PIG
Double-Stackable Unit	No

Drain	None
Fork Truck Access	No Fork Truck Access
Grates	(1) 48" L x 24" W Grate
Use With Flammables	No
Sold as	1 each
Weight	45 lbs.
New Pig Patent	5,562,047; Foreign Patents
# per Pallet	20
Composition	Sump - Polyethylene (LDPE) w/ UV Inhibitor Grate - Polyethylene (HDPE) Bulkhead Fittings - Polypropylene Gaskets - EPDM & Polypropylene T-Strips - Polyethylene Wrench - Galvanized Steel
Includes	6 - PIG® Plug Assembly (PAK578) 2 - PIG® Poly Bulkhead Fitting (PAK561) 1 - 48" L x 24" W x 2.63" H Grate 2 - T-Strip 1 - Wrench 1 - Instruction Booklet
UNSPSC	24101905
Pigalog® Page Number	<u>Page 375</u>

Metric Equivalent

Dimensions	66cm W x 132.1cm L x 14.6cm H
Load Capacity UDL	1360.8 kg
Sump Capacity	83.3 L
Weight	20.4 kg

Technical Information

Technical Documents

LDPE Products

Instructions for PIG Poly Modular Spill Deck

[40 CFR 112.7](#)

[40 CFR 122.26](#)

[40 CFR 264.175](#)

Disclaimers

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

