


PIG® Poly Modular Spill Deck

PAK529 Holds (2) 55 gal. Plastic or Steel Drums, 26" x 52" x 5.75", Sump Capacity 22 gal.

Connectable, shared-sump decks let you build up to your required sump capacity to help meet containment regs.



- Patented "flow-through" sump design lets liquid pass freely from one sump to another to help you comply with containment regulations
- Modular design features exclusive bulkhead fittings and predrilled ports to connect to other decks; ready to use as soon as they arrive
- Mix and match the sections you need to fit your space and help meet sump capacity requirements
- Special tools and hardware to connect sections is included with each system
- Low-profile 5.75"H design is easy to load or unload; pumps and funnels are easy to access
- Molded-in sump catches leaks, drips and spills to help keep your storage areas clean and safe
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- Translucent white sidewalls allow easy visual inspection
- We test all of our Containment Pallet designs at max load for months to ensure they can handle full capacity at your facility



Specifications

Dimensions	26" W x 52" L x 5.75" H
Recycled Content	43% Post-Industrial Recycled Polyethylene
Load Capacity UDL	3000 lbs.
Sump Capacity	22 gal.
Brand	PIG
Drain	None
Color	Black/White
Double-Stackable Unit	No

Fork Truck Access	No Fork Truck Access
Grates	(1) 48" L x 24" W Grate
Holds	(2) 55 gal. Plastic or Steel Drums
Material	Poly
Use With Flammables	No
Distributor Part Number	56620-612;381p62;3497402;04088x33313
Sold as	1 each
Weight	45 lbs.
New Pig Patent	5,562,047;Foreign Patents
# per Pallet	20
Composition	Sump - Polyethylene (LDPE) w/ UV Inhibitor Grate - Polyethylene (HDPE) Bulkhead Fittings - Polypropylene Gaskets - EPDM & Polypropylene T-Strips - Polyethylene Wrench - Galvanized Steel
Includes	6 - PIG® Plug Assembly (PAK578) 2 - PIG® Poly Bulkhead Fitting (PAK561) 1 - 48" L x 24" W x 2.63" H Grate 2 - T-Strip 1 - Wrench 1 - Instruction Booklet
UNSPSC	24101905
Pigalog® Page Number	Page 369

Metric Equivalent

Dimensions	66cm W x 132.1cm L x 14.6cm H
Load Capacity UDL	1360.8 kg
Weight	20.4 kg
Sump Capacity	83.3 L

Technical Information

Technical Documents

LDPE Products

Instructions for PIG Poly Modular Spill Deck

40 CFR 112.7

40 CFR 122.26

40 CFR 264.175

