

PIG® Twin Poly IBC Spill Containment Pallet

PAK749 Holds (2) IBCs, 61.625" x 124.6" x 22", 535 gal. Sump Capacity

You can't buy a stronger pallet to store your totes in compliance. PIG is the toughest on the market.



- Strong enough for long-term storage of IBCs, this innovative design transfers weight to load bearing channels to maximize capacity
- Molded-in sump catches leaks, drips and spills to help you comply with regulations and keep storage areas clean
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating holds a variety of IBC sizes; lifts out for easy access to sump
- Low profile for easy access to and dispensing from IBC tanks
- Two-way forklift entry allows movement from either direction when not loaded
- Optional .75" drain plug lets you empty sump without removing drums or grating
- Side-by-side design lets you store two IBC tanks on one unit (8,000-lb. UDL per side); avoids the higher cost of buying two single units



Item#	Description	Dimensions	Weight
PAK749-WD	With Drain	61.625" W x 124.6" L x 22" H	554 lbs.
PAK749-WOD	Without Drain	61.625" W x 124.6" L x 22" H	554 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
PAK749-WD	With Drain	156.5cm W x 3.2m L x 55.9cm H	251.3 kg
PAK749-WOD	Without Drain	156.5cm W x 3.2m L x 55.9cm H	251.3 kg

Specifications

Holds	(2) IBCs
Color	Black
Dimensions	61.625" W x 124.6" L x 22" H

Recycled Content	34% Post-Industrial Recycled Polyethylene
Load Capacity UDL	16000 lbs.
Sump Capacity	535 gal.
Brand	PIG
Double-Stackable Unit	No
Drain	Optional .75" Drain
Fork Truck Access	Two-Way Fork Access, Move Unloaded Only
Grates	(4) 52" L x 26" W Grates
Use With Flammables	No
Sold as	1 each
Weight	554 lbs.
# per Pallet	2
Composition	Polyethylene
UNSPSC	24101905
Pigalog® Page Number	Page 383

Metric Equivalent

Dimensions	156.5cm W x 3.2m L x 55.9cm H
Load Capacity UDL	7257.6 kg
Sump Capacity	2025 L
Weight	251.3 kg

Technical Information

Technical Documents

LDPE Products

40 CFR 112.7

40 CFR 122.26

40 CFR 264.175

Disclaimers

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

