




**PIG® DoorBlocker Dike**

PLR213 Ideal For Doorway Spill Response, One 2" W x 4' L x 1.5" H Section

Specially designed spill dike seals off doorways to protect against spreading spills, rising water or washdown liquids.

- Unique 45-degree wedge design fits snugly against doorjamb to stop the spread of liquids
- Ideal as a barrier in doorways during washdown operations, as a dam to control or contain spilled liquids or as a diverter to direct rising water or liquid away from equipment or supplies
- Reusable dike cleans easily with soap and water
- Polyurethane material resists water, oils and many chemicals
- High-visibility yellow top color draws attention to spill for increased safety
- Fits any doorway up to 4' wide
- Light-weight dike is easy to handle and deploy



**Specifications**

<b>Dimensions</b>	2" W x 4' L x 1.5" H
<b>Application</b>	Doorways
<b>Barrier Dimensions</b>	One 2" W x 4' L x 1.5" H Section
<b>Barrier Height</b>	1.5" H
<b>Brand</b>	PIG
<b>Ideal For</b>	Doorway Spill Response
<b>Color</b>	Yellow
<b>Install/Deploy Type</b>	Temporary/Removable Barrier
<b>Temperature Limit</b>	Works from 0°F to 160°F
<b>Traffic</b>	Non-Weight Bearing
<b>Sold as</b>	1 per box
<b>Weight</b>	4 lbs.
<b>New Pig Patent</b>	5,236,281
<b># per Pallet</b>	120
<b>Composition</b>	Polyurethane
<b>UNSPSC</b>	24101907

## Metric Equivalent

<b>Dimensions</b>	5.1cm W x 122cm L x 3.8cm H
<b>Weight</b>	1.8 kg

## Technical Information

### Technical Documents

PIG SpillBlocker Dikes, DrainBlocker Drain Covers and other Blockers

PIG Spillblocker Dike Instructions

Urethane Use, Care and Storage

PIG® Blocker Family

40 CFR 112.7

40 CFR 122.26



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)