

## PIG® Pipe Wrap Repair Kit for Lines & Joints Not Under Pressure

PTY120 Non-Pressurized, For 2.5" - 4" dia.

Fast, easy way to permanently fix broken, corroded or leaking pipes to beyond their original strength.

- Each kit contains materials for restoring one unpressurized pipe or joint
- Works on most pipes, including PVC, copper, galvanized steel, rubber, lead and iron
- Materials adhere to wet or dry surfaces to allow repairs without draining pipes
- Butyl patch or PIG® Repair Putty applies underneath outer wrap to strengthen seal
- Polyurethane-impregnated fiberglass wrap exceeds original bursting pressure rating of pipes
- Nitrile gloves protect hands during repair
- Cures in approximately 30 minutes at 75°F
- Final repair is not affected by salt water
- NSF Certified for safe use on potable water lines



### Specifications

Style	Pipe Patch Kit
Brand	PIG
Cure Time	30 Minutes at 75°F (24°C)
Pipe Pressure	Non-Pressurized
Pipe Size	2.5" - 4" dia.
Temperature Limit	300°F (149°C) Continuous/500°F (260°C) Intermittent
Sold as	3 per box
Weight	3.21 lbs.
# per Pallet	432

### Composition

Putty - Epoxy  
Patch - Butyl  
Gloves - Nitrile  
Wrap - Polyurethane/Fiberglass

### Includes

3 - 1.5" L PIG® Multi-Purpose Epoxy Putty (2 year shelf life) (PTY230)  
1 - 4"L x 4"W Butyl Patch  
1 - Pair Nitrile Gloves  
1 - 15'L x 4"W Polyurethane-impregnated Fiberglass Wrap

<b>Shelf Life</b>	2 years
<b>UNSPSC</b>	31201519
<b>Pigalog® Page Number</b>	<u>Page 258</u>
<b>Metric Equivalent</b>	
<b>Weight</b>	1.5 kg

## Technical Information

### Certifications, Approvals and Ratings

NSF Certified

### CountryNoShip

This product is subject to export restrictions and cannot be shipped to: Canada, European Union, Great Britain, Japan.

## Technical Documents

[Instructions for Using PIG® Pipe Wrap Repair Kit on Pipes Not Under Pressure](#)

[PIG® Multi-Purpose Repair Putty](#)

[PIG® Wrap for Pipes](#)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)