





SKM203 3" x 10', Absorbs up to 2.5 gal. per sock, 6 socks

Skims oil from chemical baths in open-top dip tanks.

- UV- and chemical-resistant polypropylene skin and filler absorb oils but repel water-based liquids
- Tough enough for acid baths and phosphates tanks
- Ideal for skimming oil off acid or caustic baths or for use in other acidic environments
- Meets ANSI and MIL spec standards for static decay
- Attached string allows socks to be tied down, tied together or dipped into tanks
- PIG Skimmer Socks float at the surface for easy retrieval
- Absorbs and retains oil-based liquids including lubricants and fuels - without taking in a drop of water
- Nobody knows more about socks than New Pig
  - we invented them!

### **Specifications**

Pigalog® Page Number

Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only
Color	White
Dimensions	ext. dia. 3" x 10' L
Absorbency	Up to 15 gal. per box
Absorbency per	Up to 2.5 gal. per sock
Brand	PIG
Filler	Polypropylene
Skin/Outer Mesh	Skin - Polypropylene
Sold as	6 socks per box
Weight	15 lbs.
# per Pallet	24
Application	Skimming
UNSPSC	47131904

Page 55

# Metric Equivalent

Absorbency per	Up to 9.5 L per sock
Absorbency	Up to 56.8 L per box
Dimensions	ext. dia. 7.6cm x 3m L
Weight	6.8 kg

### **Technical Information**

### **Certifications, Approvals and Ratings**

ANSI/ESD STM11.11,MIL-STD-3010C

#### **Technical Documents**

UV-Resistance Comparison Testing of Spunbond and Meltblown

PIG® Oil-Only Absorbents

40 CFR 112.7

40 CFR 122.26



# One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com