

PIG® Clip-&-Fit® Oil-Only Absorbent Sock



SKM230 ext. dia. 3" x 120' L, Each absorbs up to 30 gal., 1 sock per box

Get the exact length of absorbent you need for the job at hand with this oil-only outdoor sock that you can cut to size.

- Pull a length, clip it with included cable zip-ties and cut the sock into just the right size to fit the job at hand, all in seconds
- Sock is 3 inches in diameter and can be cut anywhere from 6 inches to 120 feet long
- Soaks up and holds oils and oil-based liquids, including lubricants and fuels
- Will not absorb even a drop of water
- Use preventatively to surround machines and block leaks, or actively to contain puddles and more
- Sock's filler can be shaped easily to create corners
- Polypropylene skin is strong to resist tearing and UV resistant up to one year, the most on the market
- Meets ANSI and MIL-SPEC standards for static decay
- Best for use on land, but also floats on water to clean up oil spills
- Filler made with recycled materials
- Not recommended for use with acids, bases or other corrosives



Specifications

Absorbency Range	30 - 39.9 gal.
Dimensions	ext. dia. 3" x 120' L
Recycled Content	95% Mixture of Pre- and Post-Consumer Recycled Cellulose
Absorbency	Up to 30 gal. per box
Absorbency per	Up to 30 gal. per sock
Application	Skimming
Brand	PIG
Filler	Hydrophobic Cellulose
Fluid Absorbed	Oils; Fuels; Oil-Based Liquids (Not Water)

Skin/Outer Mesh	Skin - Polypropylene
Sold as	1 sock per box
Weight	38 lbs.
# per Pallet	12
UNSPSC	47131904
Pigalog® Page Number	Page 50

Metric Equivalent

Absorbency per	Up to 113.6 L per sock
Absorbency	Up to 113.6 L per box
Weight	17.2 kg
Dimensions	ext. dia. 7.6cm x 37m L

Technical Information

Certifications, Approvals and Ratings

ANSI/ESD STM11.11, MIL-STD-3010C

Technical Documents

[Technical Data Sheet for PIG® Oil Only Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com