

PIG® Quick Response Roof Leak Diverter Tarp Kit

TLS1120 30" W x 30" L,Leak Diverter Tarp; Hose; Hanging Straps or Magnets; Storage Bag,Install With Hanging Straps or Magnets

Quickly catch and divert overhead leaks before they cause damage with this all-in-one kit featuring a heavy-duty diverter tarp and PIG Absorbent Water Mat Pads. Choose between magnets or adjustable straps for fast and easy hanging.

- Easily keep rain and snow from storming *inside*. Whether condensation and ice, or heavy rain from a high-wind hurricane, this solution will quickly protect your team and what you've built.
- Super-easy installation: choose between magnetic or adjustable hanging straps
- Start with a clean, dry floor: includes 5
 wringable, reusable PIG Water Absorbent Mats
 that absorb nearly a quart of water each for
 cleaning up any leaks that may have hit the
 floor
- Multiple hanging points with tear-resistant brass grommets preserve the funnel shape and keep the diverter tarp stable
- Heavy-duty, vinyl-coated leak diverter tarp resists punctures, UV and mildew for a long life
 can be reused over and over
- No overflowing, leaking or sagging: pinched corners create a funnel to channel liquids to a drain or collection container
- Easily connect the hose to the diverter tarp with included quick-connect adapter
- Clear, compact drawstring bag is easy to grab for quick response to leaks
- Extra-large drain opening and debris cage prevents clogs from crumbled ceiling tiles, drywall and roofing material
- Includes leak diverter tarp, quick connect adapter, drainage hose, water absorbent mats, carrying bag and either adjustable hanging straps or magnetic hanging clips
- Flow rate of 3.33 gallons per minute when used with a 1/2" ID hose

Item#	Description	Dimensions	Weight
TLS1120-WHS	With Hanging Straps	30" W x 30" L	4.5 lbs.
TLS1120-WMG	With Magnets	30" W x 30" L	4.5 lbs.

Metric Equivalent:

TLS1120-WHS	With Hanging Straps	76cm W x 76cm L	2 kg
TLS1120-WMG	With Magnets	76cm W x 76cm L	2 kg
Specifications			
Style		Complete Kit	
Dimensions		30" W x 30" L	
Application		Roofs	
Brand		PIG	
Contains		Leak Diverter Tarp; Hose; Hastorage Bag	anging Straps or Magnets;
Drainage Hose		Included	
Color		Translucent	
Flow Rate		3.33 gal./Minute	
Hanging Straps		Included	
Hose Connector		.75" w/ Quick Connect	
Installation Method		Hanging Straps or Magnets	
Shape		Square	
Sold as		1 each	
Weight		4.5 lbs.	
# per Pallet		60	
Composition		Diverter: PVC, Polyester Hose: PVC Straps: Nylon Magnets: Nickel, Neodymiun	n, Stainless Steel
Includes		1 - 30" x 30" Leak Diverter T 4 - 60" Adjustable Hanging S 175" Quick Connect Set (' 4 - 1" Magnetic Hanging Clip 1 - 10' L Drainage Hose (TLS 1 - 14" x 17" Clear Drawstrin 5 - 15" x 19" Water Mat (WT	Straps Option (TLS559) TLS680) ps Option S690) ng Bag
UNSPSC		24141506	
Pigalog® Page Number		Page 283	
Metric Equivalent			
Weight		2 kg	
Dimensions		76cm W x 76cm L	
Technical Information			

Dimensions

Weight

Description

Item#

Instructions for Assembling PIG® Leak Diverter System

Technical Documents



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447• newpig.com • hothogs@newpig.com